

INDUSTRIAL COMPONENT DATA

E3NX-MA6 E3NX7025E E3NXMA6OMS OMRON Amplifier fiber 2 input fiber, digital display, double, fit, intelligent..

Brand: OMRON | Manufacturer Part Number: E3NX-MA6



Manufacturer	OMRON
MPN / Reference	E3NX-MA6
Catalog number	E3NXMA6OMS
Category	Optical fibre sensor / optical fibre amplifier
Minimum order	1 Pcs
Document ID	EO-DAAF9F48D4
Generated	2026-08-04

Product Overview

Amplifier fiber 2 input fiber, digital display, double, fit, intelligent, multi-function, 2 NPN, connector system
Fiber Amplifier, 2 Fiber Inputs, Dual Digital Display, Smart Adjustment, Multiple Functions, 2 NPN Outputs, System Connector
Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 NPN output, system connector

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Advanced sensors > N-Smart
--------------	------------------------------------

Additional Product Information

ShapeCuboid, rail mountingSensing methodAmplifierSetting methodTeach-InConnection methodSystem connectorOutput typeNPNOperation modeDark-ON, Light-ONResponse time0.1 msMaterial housingPolycarbonateProduct Width (unpacked)10 mmProduct Height (unpacked)33.5 mmProduct Length (unpacked)75.3 mmType of lightPolarity free red lightPower supply voltage10-30 VFunctionsSelf-diagnosis, Timer, TwinFeatures2 channels, Bank function, Twin outputsApplicationObject detectionDegree of protection (IP)IP50Number of digital outputs2Number of digital inputs0 ETIM for 681534 Sensors (EC002651)
Feature Name
Feature Value
Voltage type (EF000187)
DC
Construction type housing (EF004008)
Cuboid

Laser protection class (EF004027)
Other
Degree of protection (IP) (EF005474)
IP50
Setting procedure (EF003994)
Other
Indication (EF000350)
Digital
Type of switch function (EF003963)
Programmable/configurable
Type of electric connection (EF003961)
Cable with connector
Material fibre optics core (EF004137)
Plastic
Housing material (EF001596)
Plastic
Type of light (EF004029)
Polarized red light
Material of cable sheath (EF004136)
Polyvinyl chloride (PVC)
Type of switching output (EF003962)
NPN
Operation agent-safety class (EF003982)
Safety class 3
Analogue output -10 V ... +10 V (EF006809)
No
Analogue output 0 V ... 10 V (EF006807)
No
Analogue output 0 mA ... 20 mA (EF006808)
No
With blanking function (EF003968)
No
Analogue output 4 mA ... 20 mA (EF006810)
No
With time function (EF003582)
Yes
AWG-number (EF007010)...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E3NX-MA6 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.