

INDUSTRIAL COMPONENT DATA

EE-SPX302-W2A 2M EESP4043B EESPX302W2A2M OMRON

Horseshoe 3.6 mm Osc NPN pre-wired 2m

Brand: OMRON | Manufacturer Part Number: EE-SPX302-W2A 2M



Manufacturer	OMRON
MPN / Reference	EE-SPX302-W2A 2M
Catalog number	EESPX302W2A2M
Category	Fork light barrier
Minimum order	1 Pcs
Document ID	EO-1F20D51318
Generated	2026-08-02

Product Overview

Horseshoe 3.6 mm Osc NPN pre-wired 2m
Photomicro sensor, slot type, 3.6 mm, D-ON, NPN, 2 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Photoelectric sensors > Photomicro

Additional Product Information

ShapeF-shapedSensing methodThrough-beam with slotSensing distance3.6 mmSetting methodFixedConnection
methodCableCable length2 mOutput typeNPNOperation modeDark-ONResponse time1 msMaterial
housingPolycarbonateType of lightInfrared lightSupply voltage DC5-24 V
ETIM for 225408 Sensors (EC002720)
Feature Name
Feature Value
Explosion safety category for dust (EF003998)
None
Voltage type (EF000187)
DC
Construction type housing (EF004008)
Special construction
Laser protection class (EF004027)
None

Degree of protection (NEMA) (EF011959)
Other
Degree of protection (IP) (EF005474)
IP50
Setting procedure (EF003994)
Other
Material of optical surface (EF004134)
Plastic
Sensing mode (EF007503)
Dark switching
Type of interface for safety communication (EF003956)
Other
Type of switch function (EF003963)
Breaker contact (NC)
Type of electric connection (EF003961)
Cable
Housing material (EF001596)
Plastic
Type of light (EF004029)
Infrared light
Material of cable sheath (EF004136)
Polyvinyl chloride (PVC)
Type of switching output (EF003962)
NPN
Operation agent-safety class (EF003982)
Safety class 3
Explosion safety category for gas (EF003997)
None
With communication interface RS-485 (EF007314)
No
Analogue output -10 V ... +10 V (EF006809)
No
With communication interface SSD (EF007315)
No
With communication interface SSI (EF007316)
No
Analogue output 0 V ... 10 V (EF006807)
No
Analogue output 0 mA ... 20 mA (EF006808)
No
With communication interface RS-232 (EF007312)
No
With communication inter...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / EE-SPX302-W2A 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.