

INDUSTRIAL COMPONENT DATA

F3SG-2RE0190P30 F3SG6191M 673584 OMRON Basic Safety Barrier IP67 Type 2 Hand 190mm

Brand: OMRON | Manufacturer Part Number: F3SG-2RE0190P30



Manufacturer	OMRON
MPN / Reference	F3SG-2RE0190P30
Catalog number	F3SG2RE0190P30.1
Category	Light curtain
Minimum order	1 Pcs
Document ID	EO-5D7523815A
Generated	2026-08-02

Product Overview

Barrier basic safety, IP67 Type 2 Hand 190mm
 Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 190 mm, PNP

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Security Sensors > Barriers F3SG-R
--------------	--

Additional Product Information

Specifications
 Type of safety according to IEC 61496-1 2
 Type of protection Hand protection
 Detection capability 30 mm
 Safety field height 190 mm
 Beam gap 20 mm
 Number of beams 8
 Number of protected semiconductor outputs 2
 Number of semiconductor outputs with signalling function 0
 Maximum safety range 20 m
 Minimum operating distance 0.3 m
 Response time 5 ms
 Cascadable
 With muting function

With beam coding
Type of switching output of the OSSD PNP
Key features Fast response (ON/OFF applications), Simple wiring
Suitable for safety functions
Scope of delivery Transmitter and receiver
Wavelength of the sensor 870 nm
Connection method M12 pigtail Smartclick connector
Supply voltage DC 19.2-28.8 V
Voltage type DC
Max. output current at protected output 300 mA
Degree of protection (IP) IP67
Ambient temperature -10-55 °C
Overall length of sensor 208 mm
Height of sensor 35 mm
Width of sensor 35 mm
ETIM for 673584 Sensors (EC002549)
Feature Name
Feature Value
Explosion safety category for dust (EF003998)
None
Voltage type (EF000187)
DC
Type of switching output of the OSSD (EF003959)
PNP
Scope of delivery of the one-way system (EF004032)
Transmitter and receiver
Degree of protection (NEMA) (EF011959)
Other
Degree of protection (IP) (EF005474)
IP67
Type of safety according to IEC 61496-1 (EF004105)
2
Type of interface for safety communication (EF003956)
Other
Type of electric connection (EF003961)
Connector M12
Operation agent-safety class (EF003982)
Safety class 3
Explosion safety categ...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / F3SG-2RE0190P30 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.