


INDUSTRIAL COMPONENT DATA

E32-DC200 E32 1329A E32DC200CHN OMRON Slr General Threaded M6

Brand: OMRON | Manufacturer Part Number: E32-DC200



Manufacturer	OMRON
MPN / Reference	E32-DC200
Catalog number	E32DC200CHN
Category	Optical fibre sensor / optical fibre amplifier
Minimum order	1 Pcs
Document ID	EO-8435FC1A72
Generated	2026-07-29

Product Overview

Slr General Threaded M6

Fiber optic sensor head, diffuse, M6 cylindrical axial, R25 fiber, 2 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Photoelectric sensors > E32
--------------	-------------------------------------

Additional Product Information

Sensing methodDiffuse reflectiveShapeThreadedSizeM6ApplicationObject detectionTemperature range-40-70 °CSensing distance900 mmCable length2 mBending radius25 mmFree cutMaterial corePlasticDegree of protection (IP)IP67Sensing surface orientationTop-viewMaterial sheathPolyethylene
ETIM for 182959 Sensors (EC002651)
Feature Name
Feature Value
Voltage type (EF000187)
Other
Construction type housing (EF004008)
Cylinder, screw-thread
Laser protection class (EF004027)
Other
Degree of protection (IP) (EF005474)
IP67

Setting procedure (EF003994)
Manual adjustment
Indication (EF000350)
Other
Type of switch function (EF003963)
Other
Type of electric connection (EF003961)
Cable
Housing material (EF001596)
Plastic
Type of light (EF004029)
Other
Type of switching output (EF003962)
Other
Operation agent-safety class (EF003982)
Safety class 0
Analogue output -10 V ... +10 V (EF006809)
No
Analogue output 0 V ... 10 V (EF006807)
No
Analogue output 0 mA ... 20 mA (EF006808)
No
With blanking function (EF003968)
No
Analogue output 4 mA ... 20 mA (EF006810)
No
With time function (EF003582)
No
Nominal operating distance (EF004059)
900 mm
Number of semiconductor outputs with signalling function (EF003945)
0
Height amplifier (EF007284)
33.5 mm
Length amplifier (EF007335)
71.8 mm
Diameter sensor (EF007111)
6 mm
Number of contact energized outputs with signalling function (EF003946)
0
Width amplifier (EF007095)
10 mm
Ambient temperature (EF002386)
-40 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E32-DC200 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.