


INDUSTRIAL COMPONENT DATA

E32-T22B 2M E32 1316M E32T22B2MCHN OMRON Barrier Fine D2mm Robotic

Brand: OMRON | Manufacturer Part Number: E32-T22B 2M



Manufacturer	OMRON
MPN / Reference	E32-T22B 2M
Catalog number	E32T22B2MCHN
Category	Optical fibre sensor / optical fibre amplifier
Minimum order	1 Pcs
Document ID	EO-C0A26EBEC2
Generated	2026-07-29

Product Overview

Barrier Fine D2mm Robotic

Robotic Fine Barrier D2mm

Fiber optic sensor head, through-beam, cylindrical axial, diameter 1.5 mm, R4 bend resistant fiber, 2 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Photoelectric sensors > E32

Additional Product Information

Sensing methodThrough-beamShapeCylindrical axialSizedia 1.5 mmApplicationObject detectionFeaturesBend resistant, MiniatureTemperature range-40-70 °CSensing distance1020 mmCable length2 mBending radius4 mmFree cutMaterial corePlasticDegree of protection (IP)IP67Sensing surface orientationTop-viewMaterial sheathPVC

ETIM for 182957 Sensors (EC002651)

Feature Name

Feature Value

Voltage type (EF000187)

Other

Construction type housing (EF004008)

Cylinder plain

Laser protection class (EF004027)

Other

Degree of protection (IP) (EF005474)

IP67
Setting procedure (EF003994)
Other
Indication (EF000350)
Other
Type of switch function (EF003963)
Programmable/configurable
Type of electric connection (EF003961)
Cable
Material fibre optics core (EF004137)
Plastic
Housing material (EF001596)
Brass
Type of light (EF004029)
Polarity free red light
Material of cable sheath (EF004136)
Polyvinyl chloride (PVC)
Type of switching output (EF003962)
Other
Operation agent-safety class (EF003982)
Safety class 0
Analogue output -10 V ... +10 V (EF006809)
No
Analogue output 0 V ... 10 V (EF006807)
No
Analogue output 0 mA ... 20 mA (EF006808)
No
With blanking function (EF003968)
No
Analogue output 4 mA ... 20 mA (EF006810)
No
With time function (EF003582)
No
Number of semiconductor outputs with signalling function (EF003945)
0
Diameter sensor (EF007111)
1.5 mm
Number of contact energized outputs with signalling function (EF003946)
0
Ambient temperature (EF002386)
-40 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E32-T22B 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.