

INDUSTRIAL COMPONENT DATA

E32-L66 2M E32 1273B E32L662M OMRON Reflex positioning glass 5-18mm 300 ° C

Brand: OMRON | Manufacturer Part Number: E32-L66 2M



Manufacturer	OMRON
MPN / Reference	E32-L66 2M
Catalog number	E32L662M
Category	Optical fibre sensor / optical fibre amplifier
Minimum order	1 Pcs
Document ID	EO-6AA2E6AF7E
Generated	2026-07-27

Product Overview

Reflex positioning glass 5-18mm 300 ° C

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Photoelectric sensors > E32
--------------	-------------------------------------

Additional Product Information

Detection of special objects (liquids, transparent foils, etc.)

Fiber heads ideal for colour mark detection

Fiber heads optimised for special tasks (wafer mapping, hot reflective surface detection, etc.)

Accessories

Accessories

Shape

Type

Comment

Order code

Focal lens

- Extends sensing distance by more than 500%

- For M4 Through beam fibers E32-TC200, E32-ET11R, E32-T11 (fits M2.6 thread)

- 2 pcs per set

E39-F1

Focal lens (side view)

- For M4 through beam fibers E32-TC200, E32-ET11R, E32-T11, E32-T61-S, E32-T81R-S (fits M2.6 thread)
- Temperature range -40 to 200°C
- 2 pcs per set
- E39-F2
- Focal lens (variable)
- For precision detection with E32-D32
- E39-F3A
- Focal lens
- For precision detection with E32-EC41
- E39-F3A-5
- For precision detection with E32-EC41
- E39-F3B
- For precision detection with M6 coaxial diffuse reflective fibers (e.g. E32-CC200)
- E39-F18
- Focal lens (side view, variable)
- For precision detection with E32-EC31
- E39-EF51
- Focal lens (heat resistant)
- Extends sensing distance by more than 500%
- For M4 through beam fibers E32-ET51, E32-T61, E32-T61-S, E32-T81R, E32-T81R-S (fits M4 thread)
- Temperature range -60 to 350°C
- 2 pcs per set
- E39-EF1-37-2
- E39-F16
- Focal lens (vacuum resistant, heat resistant)
- Fits E32-T51V and E32-T54V (fits M2.6 thread)
- 2 units per set
- Heat resistant up to 120°C
- E39-F1V
- Fiber cutter
- Included in applicable fiber
- E39-F4
- Thin fiber attachment
- Amplifier adapter for thin fibers
- Included in applicable fiber (2 sets)
- E39-F9
- Sleeve...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E32-L66 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.