

INDUSTRIAL COMPONENT DATA

G2RV-ST501 24VAC/DC G2RV8217D

G2RVST501ACDC24BYOMB OMRON SPDT 6A Borna Relay+Push-in Base+ 24Vac/dc Test Pus..

Brand: OMRON | Manufacturer Part Number: G2RV-ST501 24VAC/DC



Manufacturer	OMRON
MPN / Reference	G2RV-ST501 24VAC/DC
Catalog number	G2RVST501ACDC24BYOMB
Category	Switching relay
Minimum order	10 Pcs
Document ID	EO-16E7022C4B
Generated	2026-08-06

Product Overview

SPDT 6A Borna Relay+Push-in Base+ 24Vac/dc Test Push Button
Slimline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VAC/DC, Test switch

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Relays > G2RV-SR

Additional Product Information

Specifications
Coil voltage 24 V
Contact description SPDT
Contact material Ag alloy
Features LED, Test button, Transparent case, With mechanical indicator
Mounting method DIN rail
Poles 1
Rated carry current 6 A
Terminal type Push-in Plus
Usage Interface
Operation voltage AC/DC
Accessories

G2RV-1-SI-G 21VDC Slimline relay (6 mm width), lockable test switch, SPDT, 6 A, for replacement in G2RV-SR701/501
24VDC or 24 VAC/DC

ETIM for 708529 Relays (EC001437)

Feature Name

Feature Value

Type of switch contact (EF003358)

Single contact

Degree of protection (IP) (EF005474)

Other

Drive, polarization (EF003355)

Polarity free

Voltage type for actuating (EF008242)

AC/DC

Type of electric connection (EF003961)

Other

Drive, switching attitude (EF003356)

Mono stable

With detachable clamps (EF003340)

No

Complete with socket (EF003359)

Yes

With LED indication (EF005950)

Yes

With forced-guided contacts (EF003357)

No

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Width (EF000008)

6.2 mm

Number of contacts as normally closed contact (EF008255)

0

Height (EF000040)

90 mm

Depth (EF000049)

80 mm

Nominal current (EF000001)

6 A

Rated control supply voltage AC 60 Hz (EF003979)

21.6 V

Rated control supply voltage AC 50 Hz (EF003978)

21.6 V

Rated control supply voltage DC (EF003980)

21.6 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / G2RV-ST501 24VAC/DC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.