

INDUSTRIAL COMPONENT DATA

H3CR-F8 24-48VAC/12-48VDC H3CR8004A H3CRF8AC2448DC1248OMI OMRON Cyclic 8-pin Start-OFF 0.05 s-300h

Brand: OMRON | Manufacturer Part Number: H3CR-F8 24-48VAC/12-48VDC



Manufacturer	OMRON
MPN / Reference	H3CR-F8 24-48VAC/12-48VDC
Catalog number	H3CRF8AC2448DC1248OMI
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-7C0EF5F327
Generated	2026-08-03

Product Overview

Cyclic 8-pin Start-OFF 0.05 s-300h

Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 24-48VAC, 12-48VDC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Timers > H3CR

Additional Product Information

Specifications

Type Analog

Installation type Socket

Functions Twin

Size 1/16 DIN (48 x 48 mm)

Terminal type Plug-in

Operating mode Flicker OFF Start (Power ON Start)

Output type Relay

Contact description DPDT

Time range 0.05 s - 300 h

Supply voltage AC 24-48 V

Supply voltage DC 12-48 V
Number of pin contact 8
Inputs No-voltage
Accessories
P3G-08 Socket, back-connecting, 8-pin, screw terminals
Y92A-48B Protective cover for DIN 48x48 mm device, hard plastic
Y92F-30 Flush panel mounting adapter for DIN 48x48 mm device
Y92F-73 Adapter for H3CR replacement of STP-YMH timer
ETIM for 667922 Relays (EC001439)
Feature Name
Feature Value
Relay technology category according to IEC 61810-7 (EF016748)
RT I
Material of contact insert (EF008521)
Other
Degree of protection (IP) (EF005474)
IP40
Voltage type (operating voltage) (EF005294)
AC/DC
Material of contact surface (EF004020)
Silver
Voltage type for actuating (EF008242)
AC/DC
Type of electric connection (EF003961)
Plug-in connection
Material contact (EF007544)
Other
Function delay on de-energization (EF003401)
No
Suitable as remote control (EF003362)
No
Outputs, reversible delayed/undelayed (EF006988)
No
Function pulse shaping (EF003403)
No
Suitable for DIN rail (top hat rail) mounting (EF007250)
Yes
Complete with socket (EF003359)
Yes
Function star-delta (EF003380)
No
Function floating contact on energization (EF003378)
No
Clock function, starting with pause, variable (EF003365)
No
Function flashing, starting with pulse, fixed time (E...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / H3CR-F8 24-48VAC/12-48VDC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.