

INDUSTRIAL COMPONENT DATA

H3CR-HRL 24VAC/DC S H3CR8054H H3CRHRLACDC24SOMI OMRON DPDT 11 pins S reset 48x48 24vac/Vdc

Brand: OMRON | Manufacturer Part Number: H3CR-HRL 24VAC/DC S



Manufacturer	OMRON
MPN / Reference	H3CR-HRL 24VAC/DC S
Catalog number	H3CRHRLACDC24SOMI
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-207E28A85C
Generated	2026-08-03

Product Overview

DPDT 11 pins S reset 48x48 24vac/Vdc

Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Timers > H3CR

Additional Product Information

ETIM for 667938 Relays (EC001439)

Feature Name

Feature Value

Relay technology category according to IEC 61810-7 (EF016748)

RT I

Material of contact insert (EF008521)

Other

Degree of protection (IP) (EF005474)

IP40

Voltage type (operating voltage) (EF005294)

AC/DC

Material of contact surface (EF004020)

Silver

Voltage type for actuating (EF008242)

AC/DC

Type of electric connection (EF003961)

Plug-in connection

Material contact (EF007544)

Other

Function delay on de-energization (EF003401)

Yes

Suitable as remote control (EF003362)

No

Outputs, reversible delayed/undelayed (EF006988)

No

Function pulse shaping (EF003403)

No

Suitable for DIN rail (top hat rail) mounting (EF007250)

Yes

Complete with socket (EF003359)

No

Function star-delta (EF003380)

No

Function floating contact on energization (EF003378)

No

Clock function, starting with pause, variable (EF003365)

No

Function flashing, starting with pulse, fixed time (EF003364)

No

Function delay-on energization (EF003374)

No

With semiconductor output (EF003373)

No

Function floating contact on de-energization (EF003402)

Yes

Function flashing, starting with pause, fixed time (EF003363)

No

Suitable for front mounting (EF020288)

Yes

Clock function, starting with pulse, variable (EF003366)

No

Pluggable on auxiliary contact block (EF006952)

No

Remote operation possible (EF003361)

No

Number of outputs, delayed, normally open contact (EF006839)

0

Number of outputs, undelayed, normally open contact (EF006836)

0

Number of outputs, delayed, cha...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / H3CR-HRL 24VAC/DC S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.