

INDUSTRIAL COMPONENT DATA

H3CR-HRL AC200-240 M H3CR8048C

H3CRHRLAC200240MOMI OMRON Timer, plug-in , 11-pin,
1/16DIN (48 x 48mm), delay..

Brand: OMRON | Manufacturer Part Number: H3CR-HRL AC200-240 M



Manufacturer	OMRON
MPN / Reference	H3CR-HRL AC200-240 M
Catalog number	H3CRHRLAC200240MOMI
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-704D8F0FD1
Generated	2026-08-04

Product Overview

Timer, plug-in , 11-pin, 1/16DIN (48 x 48mm), delay to OFF, 0.05-12m, DPDT, 5 A

Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12 m, DPDT, 5 A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Timers > H3CR

Additional Product Information

TypeAnalogInstallation typeSocketFunctionsPower OFF-delaySize1/16 DIN (48 x 48 mm)Terminal typePlug-inOperating modeOFF Delay (Power)Output typeRelayContact descriptionDPDTTime range0.05 s - 12 minSupply voltage AC200-240 VNumber of pin contact11

ETIM for 667936 Relays (EC001439)

Feature Name

Feature Value

Relay technology category according to IEC 61810-7 (EF016748)

RT I

Material of contact insert (EF008521)

Other

Degree of protection (IP) (EF005474)

IP40

Voltage type (operating voltage) (EF005294)
AC/DC
Material of contact surface (EF004020)
Silver
Voltage type for actuating (EF008242)
AC
Type of electric connection (EF003961)
Plug-in connection
Material contact (EF007544)
Other
Function delay on de-energization (EF003401)
Yes
Suitable as remote control (EF003362)
No
Outputs, reversible delayed/undelayed (EF006988)
No
Function pulse shaping (EF003403)
No
Suitable for DIN rail (top hat rail) mounting (EF007250)
Yes
Complete with socket (EF003359)
No
Function star-delta (EF003380)
No
Function floating contact on energization (EF003378)
No
Clock function, starting with pause, variable (EF003365)
No
Function flashing, starting with pulse, fixed time (EF003364)
No
Function delay-on energization (EF003374)
No
With semiconductor output (EF003373)
No
Function floating contact on de-energization (EF003402)
Yes
Function flashing, starting with pause, fixed time (EF003363)
No
Suitable for front mounting (EF020288)
Yes
Clock function, starting with pulse, variable (EF003366)
No
Plugga...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / H3CR-HRL AC200-240 M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.