

INDUSTRIAL COMPONENT DATA

H3DK-F 24-240VAC/DC H3DK6006R H3DKFACDC24240OMI OMRON 22.5 mm DIN-ON/OFF

Brand: OMRON | Manufacturer Part Number: H3DK-F 24-240VAC/DC



Manufacturer	OMRON
MPN / Reference	H3DK-F 24-240VAC/DC
Catalog number	H3DKFACDC24240OMI
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-FE4C811BB4
Generated	2026-08-04

Product Overview

22.5 mm DIN-ON/OFF

Timer, DIN rail mounting, 22.5mm, twin on & off-delay, 0.1s-12h, SPDT, 5 A, 24-240 VAC/D

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Timers > H3DE

Additional Product Information

Specifications

Type Analog

Installation type DIN rail

Functions Twin

Size 22.5 mm

Terminal type Screw

Operating mode Flicker OFF Start (Power ON Start), Flicker ON Start (Power ON Start)

Output type Relay

Contact description SPDT

Time range 0.1 s - 1200 h

Supply voltage AC 24-240 V

Supply voltage DC 24-240 V

Accessories

PFP-100N DIN-rail mounting track, 35 x 7.3 mm, 1 m length

ETIM for 668599 Relays (EC001439)

Feature Name

Feature Value

Relay technology category according to IEC 61810-7 (EF016748)

RT I

Degree of protection (IP) (EF005474)

IP30

Voltage type (operating voltage) (EF005294)

AC/DC

Material of contact surface (EF004020)

Gold

Voltage type for actuating (EF008242)

AC/DC

Type of electric connection (EF003961)

Screw connection

Function delay on de-energization (EF003401)

No

Suitable as remote control (EF003362)

No

Outputs, reversible delayed/undelayed (EF006988)

No

Function pulse shaping (EF003403)

No

Suitable for DIN rail (top hat rail) mounting (EF007250)

Yes

Complete with socket (EF003359)

No

Function star-delta (EF003380)

No

Function floating contact on energization (EF003378)

No

Clock function, starting with pause, variable (EF003365)

No

Function flashing, starting with pulse, fixed time (EF003364)

No

Function delay-on energization (EF003374)

No

With semiconductor output (EF003373)

No

Function floating contact on de-energization (EF003402)

No

Function flashing, starting with pause, fixed time (EF003363)

No

Suitable for front mounting (EF020288)

No

Clock function,...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / H3DK-F 24-240VAC/DC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.