

INDUSTRIAL COMPONENT DATA

H3Y-4 DC24 0,5S H3Y 6175C H3Y4DC2405SOMI OMRON

Miniature DPDT Autoreset Enchuf/welding

Brand: OMRON | Manufacturer Part Number: H3Y-4 DC24 0,5S



Manufacturer	OMRON
MPN / Reference	H3Y-4 DC24 0,5S
Catalog number	H3Y4DC2405SOMI
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-796829AFA7
Generated	2026-08-03

Product Overview

Miniature DPDT Autoreset Enchuf/welding

Miniature DPDT Autoreset Plug/Solder

Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 0.5 Seconds, Surface/DIN-track mounting (with socket)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Timers > H3Y

Additional Product Information

ETIM for 671722 Relays (EC001439)

Feature Name

Feature Value

Relay technology category according to IEC 61810-7 (EF016748)

RT I

Voltage type for actuating (EF008242)

DC

Type of electric connection (EF003961)

Flat plug-in connection

Function delay on de-energization (EF003401)

No

Suitable as remote control (EF003362)

No

Outputs, reversible delayed/undelayed (EF006988)
No
Function pulse shaping (EF003403)
No
Complete with socket (EF003359)
Yes
Function star-delta (EF003380)
No
Function floating contact on energization (EF003378)
No
Clock function, starting with pause, variable (EF003365)
No
Function flashing, starting with pulse, fixed time (EF003364)
No
Function delay-on energization (EF003374)
No
With semiconductor output (EF003373)
No
Function floating contact on de-energization (EF003402)
No
Function flashing, starting with pause, fixed time (EF003363)
No
Clock function, starting with pulse, variable (EF003366)
No
Pluggable on auxiliary contact block (EF006952)
No
Remote operation possible (EF003361)
No
Number of outputs, delayed, normally open contact (EF006839)
0
Number of outputs, undelayed, normally open contact (EF006836)
0
Number of outputs, delayed, change-over contact (EF006840)
4
Number of outputs, delayed, normally closed contact (EF006838)
0
Number of outputs, undelayed, change-over contact (EF006837)
0
Width (EF000008)
21.5 mm
Number of outputs, undelayed, normally closed contact (EF006835)
0
Height (EF000040)
28 mm
Depth (EF000049)
52.6 mm
Time range (EF003384...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / H3Y-4 DC24 0,5S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.