

## INDUSTRIAL COMPONENT DATA

# H5CX-A11D-N H5CX6014E H5CXA11DNOMI OMRON SPDT Standard 12-24Vdc/24Vac Undecal

Brand: OMRON | Manufacturer Part Number: H5CX-A11D-N



|                 |               |
|-----------------|---------------|
| Manufacturer    | OMRON         |
| MPN / Reference | H5CX-A11D-N   |
| Catalog number  | H5CXA11DNOMI  |
| Category        | Timer relay   |
| Minimum order   | 1 Pcs         |
| Document ID     | EO-97BA442194 |
| Generated       | 2026-08-02    |

## Product Overview

SPDT Standard 12-24Vdc/24Vac Undecal

Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset &amp; 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No

Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset &amp; 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path OMRON &gt; Timers &gt; H5CX

## Additional Product Information

Specifications

Type Digital

Installation type DIN Rail, On-panel, Socket

Functions Multi-functional

Size 1/16 DIN (48 x 48 mm)

Terminal Plug-in

Output type Relay

Contact description SPDT

Time range 0.001 s - 9999 h

Supply voltage AC 24-24 V

Supply voltage DC 12-24 V

Number of pin contact 11  
Inputs Gate (NPN/PNP), Reset (NPN/PNP), Signal (NPN/PNP)  
ETIM for 668627 Relays (EC001439)  
Feature Name  
Feature Value  
Relay technology category according to IEC 61810-7 (EF016748)  
RT I  
Degree of protection (IP) (EF005474)  
IP66  
Voltage type for actuating (EF008242)  
AC/DC  
Material contact (EF007544)  
Other not-copper alloys  
Material of contact insert (EF008521)  
Other  
Voltage type (operating voltage) (EF005294)  
AC/DC  
Material of contact surface (EF004020)  
Untreated  
Type of electric connection (EF003961)  
Screw connection  
Function delay on de-energization (EF003401)  
Yes  
Suitable as remote control (EF003362)  
No  
Suitable for DIN rail (top hat rail) mounting (EF007250)  
Yes  
Complete with socket (EF003359)  
Yes  
Function flashing, starting with pulse, fixed time (EF003364)  
Yes  
With semiconductor output (EF003373)  
No  
Function floating contact on de-energization (EF003402)  
Yes  
Outputs, reversible delayed/undelayed (EF006988)  
No  
Function pulse shaping (EF003403)  
Yes  
Function star-delta (EF003380)  
No  
Function floating contact on energization (EF003378)  
Yes  
Clock function, starting with pause, variable (EF003365)  
No  
Function delay-on energization (EF003374)  
Yes

Function flashing, starting with pause, fixed...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / H5CX-A11D-N with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.