

## INDUSTRIAL COMPONENT DATA

# H5CX-L8SD-N H5CX6011M H5CXL8SDNOMI OMRON SPDT Basic 12-24Vdc/24Vac Octal Transistor

Brand: OMRON | Manufacturer Part Number: H5CX-L8SD-N



|                 |               |
|-----------------|---------------|
| Manufacturer    | OMRON         |
| MPN / Reference | H5CX-L8SD-N   |
| Catalog number  | H5CXL8SDNOMI  |
| Category        | Timer relay   |
| Minimum order   | 1 Pcs         |
| Document ID     | EO-F766E1FEBB |
| Generated       | 2026-08-02    |

## Product Overview

SPDT Basic 12-24Vdc/24Vac Octal Transistor

Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC/24VAC supply

Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage in

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path OMRON &gt; Timers &gt; H5CX

## Additional Product Information

Specifications

Type Digital

Installation type DIN Rail, On-panel, Socket

Functions Multi-functional

Size 1/16 DIN (48 x 48 mm)

Terminal Plug-in

Output type Transistor

Time range 0.001 s - 9999 h

Supply voltage AC 24-24 V

Supply voltage DC 12-24 V

Number of pin contact 8

Inputs Reset (NPN), Signal (NPN)  
ETIM for 668614 Relays (EC001439)  
Feature Name  
Feature Value  
Relay technology category according to IEC 61810-7 (EF016748)  
RT I  
Material of contact insert (EF008521)  
Other  
Degree of protection (IP) (EF005474)  
IP66  
Voltage type (operating voltage) (EF005294)  
DC  
Material of contact surface (EF004020)  
Other  
Voltage type for actuating (EF008242)  
AC/DC  
Type of electric connection (EF003961)  
Screw connection  
Material contact (EF007544)  
Other  
Function delay on de-energization (EF003401)  
Yes  
Suitable as remote control (EF003362)  
No  
Outputs, reversible delayed/undelayed (EF006988)  
No  
Function pulse shaping (EF003403)  
Yes  
Suitable for DIN rail (top hat rail) mounting (EF007250)  
Yes  
Complete with socket (EF003359)  
Yes  
Function star-delta (EF003380)  
No  
Function floating contact on energization (EF003378)  
Yes  
Clock function, starting with pause, variable (EF003365)  
No  
Function flashing, starting with pulse, fixed time (EF003364)  
Yes  
Function delay-on energization (EF003374)  
Yes  
With semiconductor output (EF003373)  
No  
Function floating contact on de-energization (EF003402)  
Yes  
Function flashing, starting with pause, fixed time (EF003363)

Yes

Suitable for front mounting (EF020288)

Yes

Clock....

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / H5CX-L8SD-N with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.