

INDUSTRIAL COMPONENT DATA

E2C-EDA41 2M 176687 E2CEDA412M OMRON Amplifier PNP Double output

Brand: OMRON | Manufacturer Part Number: E2C-EDA41 2M



Manufacturer	OMRON
MPN / Reference	E2C-EDA41 2M
Catalog number	E2CEDA412M
Category	Accessories/spare parts for sensor technology
Minimum order	1 Pcs
Document ID	EO-ECE8341113
Generated	2026-07-29

Product Overview

Amplifier PNP Double output

PNP Amplifier Dual Output

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Advanced sensors > Other Sensors
--------------	--

Additional Product Information

Typically several hundred µm detection precision

Precision distance teaching

Window function (2 outputs) for production tolerance checks

Specifications & ordering info

Ordering information

Sensor heads

Appearance

Sensing distance

Repeat accuracy

Order code

3 dia. × 18

¢

-

0.6 mm

1 µm

E2C-EDR6-F

5.4 dia. × 18

1 mm

1 µm

E2C-ED011

8 dia. × 22

2 mm

2 µm

E2C-ED021

M10 × 22

2 mm

2 µm

E2C-EM021

30 × 14 × 4.8

5 mm

2 µm

E2C-EV051

M18 × 46.3

-

¢

7 mm

5 µm

E2C-EM07M1

M12 × 22

¢

-

2 mm

2 µm

E2C-EM02H

Amplifier units with cables

Item

Functions

Order code

NPN output

PNP output

Twin-output

models

Area output, open

circuit detection,

differential operation

E2C-EDA11

E2C-EDA41

External-input models

Remote setting,

differential operation

E2C-EDA21

E2C-EDA51

Amplifier units with connectors2

Item

Functions

Order code

NPN output

PNP output

Twin-output

models

Area output, open

circuit detection,

differential operation

E2C-EDA6

E2C-EDA8

External-input models

Remote setting,

differential operation

E2C-EDA7

E2C-EDA9

Specifications

Sensor heads

Item

3 dia.

5.4 dia.

8 dia.

M10

M18

30×14×4.8 mm

M12

E2C-EDR6-F

E2C-ED01(-_)

E2C-ED02(-_)

E2C-EM02(-_)

E2C-EM07(-_)

E2C-EV05(-_)

E2C-EM02H

Ambient temperature

Operating

-10 to 60°C (with no icing or condensation)

-10 to 200°C

Storage

Degree of protection

IEC60529 IP67

IEC60529 IP60

Material

Case

Brass

Stainless steel

Brass

Zinc

Brass

Sensing surface

Heat-resistant ABS

PEEK

Note: For amplifier specifications refer to complete datasheet

1. For models with cut...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E2C-EDA41 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.