

INDUSTRIAL COMPONENT DATA

MYQ4N 110/120VAC MYQ 1427G MYQ4N110120AC OMRON 4PDT bifurcated sealed plastic with indicator

Brand: OMRON | Manufacturer Part Number: MYQ4N 110/120VAC



Manufacturer	OMRON
MPN / Reference	MYQ4N 110/120VAC
Catalog number	MYQ4N110120AC
Category	Switching relay
Minimum order	10 Pcs
Document ID	EO-3C849052D9
Generated	2026-08-04

Product Overview

4PDT bifurcated sealed plastic with indicator

Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 110/120 VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Relays > Other

Additional Product Information

Specifications

Usage General purpose

Poles 4

Rated carry current 6 A

Coil voltage 120 V

Operation voltage AC

Contact material Ag alloy + Au plating

Contact description 4PDT

Features LED, Plastic sealed, Transparent case

Terminal type Plug-in

ETIM for 145766 Relays (EC001437)

Feature Name

Feature Value

Type of switch contact (EF003358)

Single contact
Degree of protection (IP) (EF005474)
Other
Drive, polarization (EF003355)
Polarity free
Voltage type for actuating (EF008242)
AC
Type of electric connection (EF003961)
Plug-in connection
Drive, switching attitude (EF003356)
Mono stable
With detachable clamps (EF003340)
No
Complete with socket (EF003359)
No
With LED indication (EF005950)
Yes
With forced-guided contacts (EF003357)
No
Number of contacts as change-over contact (EF008257)
4
Number of contacts as normally open contact (EF008256)
0
Width (EF000008)
21.5 mm
Number of contacts as normally closed contact (EF008255)
0
Height (EF000040)
28 mm
Depth (EF000049)
36 mm
Nominal current (EF000001)
1 A
Rated control supply voltage AC 60 Hz (EF003979)
88 V
Rated control supply voltage AC 50 Hz (EF003978)
88 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / MYQ4N 110/120VAC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.