

INDUSTRIAL COMPONENT DATA

K8DT-VS3CA K8DT0026B K8DTVS3CA OMRON Single-phase Voltage Max or Min 20-600VAC/DC 100-240VAC 1 SPDT 17.5 mm ..

Brand: OMRON | Manufacturer Part Number: K8DT-VS3CA



Manufacturer	OMRON
MPN / Reference	K8DT-VS3CA
Catalog number	K8DTVS3CA
Category	Voltage monitoring relay
Minimum order	1 Pcs
Document ID	EO-3D649FF574
Generated	2026-08-03

Product Overview

Single-phase Voltage Max or Min 20-600VAC/DC 100-240VAC 1 SPDT 17.5 mm Push-in+
Monitoring relay 17.5mm wide, Single phase over or under voltage 20 to 600 V AC /DC, 1 x SPDT, 100-240 VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Monitoring Relays > K8DT

Additional Product Information

FunctionsVoltageInstallation typeDIN railTerminal typePush-inSize17.5 mmSetting range20 to 200 V AC/DC, 30 to 300 V AC/DC, 60 to 600 V AC/DCSupply voltage AC100-240 VOutput typeRelayContact descriptionSPDTBody colorBlack
ETIM for 669457 Relays (EC001438)

Feature Name

Feature Value

Type of electric connection (EF003961)

Spring clamp connection

Voltage type (supply voltage) (EF002991)

AC

Type of voltage measuring range (EF003399)

AC/DC

Contains function DC-over voltage (EF003397)

Yes

External power supply required (EF003292)

Yes

Contains function DC-voltage hysteresis (EF003398)

Yes

With detachable clamps (EF003340)

No

Single-phase under voltage possible (EF003390)

Yes

Three-phase under voltage possible (EF003391)

No

Three-phase over voltage possible (EF003393)

No

Contains function DC-under voltage (EF003396)

Yes

Single-phase over voltage possible (EF003392)

Yes

Single-phase hysteresis possible (EF003394)

Yes

Three-phase hysteresis possible (EF003395)

No

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Min. adjustable delay-on energization time (EF008190)

0.1 s

Max. permitted delay-on energization time (EF008189)

30 s

Width (EF000008)

17.5 mm

Number of contacts as normally closed contact (EF008255)

0

Height (EF000040)

90 mm

Rated switch current (EF006706)

5 A

Depth (EF000049)

90 mm

Supply voltage AC 50 Hz (EF007532)

100 V

Response value voltage (EF008193)

20 V

Voltage measuring range 1 (EF006134)

20 V

Supply voltag...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / K8DT-VS3CA with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.