

INDUSTRIAL COMPONENT DATA

D5B-1513 D5B 1513G D5B1513 OMRON High sensib Rod elastic spring short-M10 3m

Brand: OMRON | Manufacturer Part Number: D5B-1513



Manufacturer	OMRON
MPN / Reference	D5B-1513
Catalog number	D5B1513
Category	End switch
Minimum order	1 Pcs
Document ID	EO-E44427178A
Generated	2026-07-29

Product Overview

High sensib Rod elastic spring short-M10 3m

Tactile Limit switch, M10 body, short spring wobble stick actuator, 3 m prewired

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Industrial Limit switches / Pushbuttons > Other
--------------	---

Additional Product Information

Material housingMetalDegree of protection (IP)IP67Actuator typeCoil springActuator detailShort springConnection methodCableCable length3 mCable entry directionBottomNumber of contacts, normally-open0Number of contacts, normally-closed1Number of contacts, change-over0Make before breakSwitch actionSlow actionLoad typeMicro loadWith status indication

ETIM for 133720 Sensors (EC000030)

Feature Name

Feature Value

Explosion safety category for dust (EF003998)

None

Construction type housing (EF004008)

Other

Degree of protection (NEMA) (EF011959)

Other

Coating housing (EF001601)

Other

Degree of protection (IP) (EF005474)

IP67

Alignment of the control element (EF008793)

Other

Type of control element (EF006976)

Spring-rod

Type of interface for safety communication (EF003956)

None

Type of electric connection (EF003961)

With cable preassembled

Type of interface (EF006977)

None

Switching function (EF000189)

Slow-action switch

Housing material (EF001596)

Metal

Explosion safety category for gas (EF003997)

None

Switching function latching (EF007447)

No

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Forced opening (EF006694)

No

Output electronic (EF006987)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

0

Number of safety auxiliary contacts (EF006940)

0

Rated operation current I_e at DC-13, 24 V (EF007087)

0.03 A

Number of contacts as normally closed contact (EF008255)

1

Diameter sensor (EF00711...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / D5B-1513 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.