

INDUSTRIAL COMPONENT DATA

LY4N 100/110VAC LY4 5069G LY4N100110AC OMRON 4PDT 10A Enchuf/solder LED indicator

Brand: OMRON | Manufacturer Part Number: LY4N 100/110VAC



Manufacturer	OMRON
MPN / Reference	LY4N 100/110VAC
Catalog number	LY4N100110AC
Category	Switching relay
Minimum order	20 Pcs
Document ID	EO-11BE1E936F
Generated	2026-08-03

Product Overview

4PDT 10A Enchuf/solder LED indicator

Relay, plug-in, 14-pin, 4PDT, 10 A, LED indicator, 100/110 VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Relays > LY

Additional Product Information

Specifications

Mounting method With plug-in socket

Usage General purpose

Poles 4

Rated carry current 10 A

Coil voltage 110 V

Operation voltage AC

Contact material AgSnIn

Contact description 4PDT

Features LED, Transparent case

Terminal type Plug-in, Solder

ETIM for 145374 Relays (EC001437)

Feature Name

Feature Value

Type of switch contact (EF003358)
Single contact
Degree of protection (IP) (EF005474)
Other
Drive, polarization (EF003355)
Polarity free
Voltage type for actuating (EF008242)
AC
Type of electric connection (EF003961)
Plug-in connection
Drive, switching attitude (EF003356)
Mono stable
With detachable clamps (EF003340)
No
Complete with socket (EF003359)
No
With LED indication (EF005950)
Yes
With forced-guided contacts (EF003357)
No
Number of contacts as change-over contact (EF008257)
4
Number of contacts as normally open contact (EF008256)
0
Width (EF000008)
41.5 mm
Number of contacts as normally closed contact (EF008255)
0
Height (EF000040)
28.0 mm
Depth (EF000049)
36.0 mm
Nominal current (EF000001)
10 A
Rated control supply voltage AC 60 Hz (EF003979)
80 V
Rated control supply voltage AC 50 Hz (EF003978)
80 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / LY4N 100/110VAC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.