

## INDUSTRIAL COMPONENT DATA

**J7KNA-09-10 400 J7KA9007C J7KNA0910400 OMRON 4KW / 9A / AC3 1NO**

Brand: OMRON | Manufacturer Part Number: J7KNA-09-10 400



|                 |                               |
|-----------------|-------------------------------|
| Manufacturer    | OMRON                         |
| MPN / Reference | J7KNA-09-10 400               |
| Catalog number  | J7KNA0910400                  |
| Category        | Power contactor, AC switching |
| Minimum order   | 10 Pcs                        |
| Document ID     | EO-ECEC84C06C                 |
| Generated       | 2026-08-03                    |

**Product Overview**

4KW / 9A / AC3 1NO

Mini contactor, 3-pole, 4 kW; 9 A AC3 (400 VAC) + 1 NO, 400 VAC

## STRUCTURED PRODUCT DATA

**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

**Classification & Catalog Path**

Catalog path OMRON &gt; Low Voltage Switchgear &gt; J7KN Contactors

**Additional Product Information**

4kW and 5.5kW versions are available

Different coil voltages (AC and DC)

Mini and normal-size versions are available

The contactors can be mounted with screw fixing and snap fitting on a DIN-rail

All components are finger proof

Specifications &amp; ordering info

Ordering information

Operation

Poles

Rating AC2, AC3

Rated current

Auxiliary contact

Overload relay

Size in mm

(H×W×D)

Order code

Coil voltage1,

replace \_\_\_\_ with:

380 V 400 V 415 V kW

500 V kW

660 V 690 V kW

AC3

AC1

400 V

A

690 V

A

NO

NC

VAC

VDC

AC/DC

solenoid

3

4

4

4

9

20

1

0

J7TKN-A

57.5×45×49

J7KNA-09-10\_\_\_\_

24

110

230

400

24D

0

1

J7TKN-A

J7KNA-09-01\_\_\_\_

24

110

230

400

24D

5.5

5.5

5.5

12  
20  
1  
0  
J7TKN-A  
J7KNA-12-10\_\_\_\_  
24  
110  
230  
400  
24D  
0  
1  
J7TKN-A  
J7KNA-12-01\_\_\_\_  
24  
110  
230  
400  
24D  
4  
4  
4  
4  
9  
20  
0  
0  
J7TKN-A  
J7KNA-09-4\_\_\_\_  
24  
110  
230  
400  
24D  
DC solenoid with diode  
3  
4  
4  
4  
9  
20  
1  
0  
J7TKN-A  
J7KNA-09-10\_\_\_\_  
-

-  
-  
-  
24VS  
0  
1  
J7TKN-A  
J7KNA-09-01\_\_\_\_  
-  
-  
-  
-  
24VS  
5.5  
5.5  
5.5  
12  
20  
1  
0  
J7TKN-A  
J7KNA-12-10\_\_\_\_  
-  
-  
-  
-  
24VS  
0  
1  
J7TKN-A  
J7KNA-12-01\_\_\_\_  
-  
-  
-  
-  
24VS  
AC/DC  
solenoid  
3  
reversing contactors  
4  
4  
4  
9  
20  
0  
1

J7TKN-A

57.5×94.5×50

J7KNA-09-01 R\_\_\_\_

24

110

230

400

24D

5.5

5.5

5.5

12

20

0

1

J7TKN-A

J7KNA-12-01 R\_\_\_\_

24

110

230

400

24D

DC solenoid with diode

4

4

4

9

20

0

1

J7TKN-A

J7KNA-09-01 R\_\_\_\_

-

-

-

-

24VS

5.5

5.5

5.5

12

20

0

1

J7TKN-A

J7KNA-12-01 R\_\_\_\_

-

-

-

-

24VS

Accessories

Auxiliary contacts

Contacts

Rated current

Order code

AC15

230 V

400 V

NO

NC

1

1

3 A

2 A

J73KN-AM-11

0

2

3 A

2 A

J73KN-AM-02

2

2

3 A

2 A

J73KN-AM-22

Auxiliary...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / J7KNA-09-10 400 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.