

INDUSTRIAL COMPONENT DATA

J7MN-3P-26 J7MN9067B J7MN3P26 OMRON 18 26 / 11KW Rocker

Brand: OMRON | Manufacturer Part Number: J7MN-3P-26



Manufacturer	OMRON
MPN / Reference	J7MN-3P-26
Catalog number	J7MN3P26
Category	Motor protection circuit-breaker
Minimum order	1 Pcs
Document ID	EO-763F12C096
Generated	2026-08-01

Product Overview

18 - 26 / 11KW Rocker

Motor-protective circuit breaker, switch type, 3-pole, 18-26 A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Low Voltage Switchgear > J7MN Motor Protector

Additional Product Information

Specifications

Rated power AC2, AC3 at 400 V [kW] 11 kW

Suitable for motors 3 ~ 400 V [kW] 11 kW

Rated current [A] 26 A

Setting range thermal overload release current [A] 18-26 A

Setting range instantaneous short-circuit release current [A] 338-338 A

Short-circuit breaking capacity at 3 ~ 400 V [kA] 15 kA

Terminal Screw

Width 45 mm

Height 98 mm

Depth 75 mm

Control type Switch type

ETIM for 234289 Low-voltage industrial controls and switchgear (EC000074)

Feature Name

Feature Value

Degree of protection (IP) (EF005474)

IP20

Type of control element (EF006976)

Rocker lever

Device construction (EF008240)

Complete device in housing

Type of electrical connection of main circuit (EF006819)

Screw connection

Switch off technique (EF007007)

Thermomagnetic

Phase failure sensitive (EF007400)

Yes

With integrated under voltage release (EF001390)

No

With integrated auxiliary switch (EF001387)

No

Rated permanent current I_u (EF001389)

26 A

Rated short-circuit breaking capacity I_{cu} at 400 V, AC (EF007049)

15 kA

Width (EF000008)

45 mm

Rated operation power at AC-3, 400 V (EF001364)

11 kW

Height (EF000040)

98 mm

Number of poles (EF001391)

3

Depth (EF000049)

75 mm

Rated operation power at AC-3, 230 V (EF007025)

11 kW

Overload release current setting (EF002336)

18 A

Adjustment range undelayed short-circuit release (EF007131)

338 A

Rated operating voltage (EF001435)

400 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / J7MN-3P-26 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.