

**INDUSTRIAL COMPONENT DATA**

# MY2IN-GS-R DC100/110 MY2 5738A

## MY2INGSRDC100110BYOMZ OMRON Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indi..

Brand: OMRON | Manufacturer Part Number: MY2IN-GS-R DC100/110



|                 |                       |
|-----------------|-----------------------|
| Manufacturer    | OMRON                 |
| MPN / Reference | MY2IN-GS-R DC100/110  |
| Catalog number  | MY2INGSRDC100110BYOMZ |
| Category        | Switching relay       |
| Minimum order   | 1 Pcs                 |
| Document ID     | EO-D80877A661         |
| Generated       | 2026-08-05            |

### Product Overview

Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator and LED, lockable test button, 100/110 VDC  
Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 100/110 VDC

**STRUCTURED PRODUCT DATA**

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

|              |       |
|--------------|-------|
| Catalog path | OMRON |
|--------------|-------|

### Additional Product Information

Specifications  
Mounting method With plug-in socket  
Usage General purpose  
Poles 2  
Rated carry current 10 A  
Coil voltage 110 V  
Operation voltage DC  
Contact material Ag  
Contact description DPDT  
Features LED, Test button, Transparent case, With mechanical indicator  
Terminal type Plug-in, Solder  
ETIM for 720101 Relays (EC001437)

Feature Name

Feature Value

Type of switch contact (EF003358)

Single contact

Degree of protection (IP) (EF005474)

Other

Drive, polarization (EF003355)

Polarity free

Voltage type for actuating (EF008242)

DC

Type of electric connection (EF003961)

Plug-in connection

Drive, switching attitude (EF003356)

Mono stable

With detachable clamps (EF003340)

No

Complete with socket (EF003359)

No

With LED indication (EF005950)

Yes

With forced-guided contacts (EF003357)

No

Number of contacts as change-over contact (EF008257)

2

Number of contacts as normally open contact (EF008256)

0

Width (EF000008)

21.5 mm

Number of contacts as normally closed contact (EF008255)

0

Height (EF000040)

28 mm

Depth (EF000049)

36 mm

Nominal current (EF000001)

10 A

Rated control supply voltage DC (EF003980)

80 V

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / MY2IN-GS-R DC100/110 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.