

INDUSTRIAL COMPONENT DATA

MY4IN-CR-GS-R AC220/240 MY4 5755R MY4INCRGSRAC220240BYOMZ OMRON Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical..

Brand: OMRON | Manufacturer Part Number: MY4IN-CR-GS-R AC220/240



Manufacturer	OMRON
MPN / Reference	MY4IN-CR-GS-R AC220/240
Catalog number	MY4INCRGSRAC220240BYOMZ
Category	Switching relay
Minimum order	10 Pcs
Document ID	EO-1C55BB042B
Generated	2026-08-06

Product Overview

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator and LED, coil suppressor, lockable test button, 220/240 VAC
Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 220/240 VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON
--------------	-------

Additional Product Information

Specifications

Mounting method With plug-in socket

Usage General purpose

Poles 4

Rated carry current 6 A

Coil voltage 230 V

Operation voltage AC

Contact material Ag

Contact description 4PDT

Features CR circuit, LED, Test button, Transparent case, With mechanical indicator

Terminal type Plug-in, Solder

ETIM for 720082 Relays (EC001437)

Feature Name

Feature Value

Type of switch contact (EF003358)

Single contact

Degree of protection (IP) (EF005474)

Other

Drive, polarization (EF003355)

Polarity free

Voltage type for actuating (EF008242)

AC

Type of electric connection (EF003961)

Plug-in connection

Drive, switching attitude (EF003356)

Mono stable

With detachable clamps (EF003340)

No

Complete with socket (EF003359)

No

With LED indication (EF005950)

Yes

With forced-guided contacts (EF003357)

No

Number of contacts as change-over contact (EF008257)

4

Number of contacts as normally open contact (EF008256)

0

Width (EF000008)

21.5 mm

Number of contacts as normally closed contact (EF008255)

0

Height (EF000040)

28 mm

Depth (EF000049)

36 mm

Nominal current (EF000001)

6 A

Rated control supply voltage AC 60 Hz (EF003979)

176 V

Rated control supply voltage AC 50 Hz (EF003978)

176 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / MY4IN-CR-GS-R AC220/240 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.