

INDUSTRIAL COMPONENT DATA

MY4IN-GS-R AC110/120 MY4 5744C

MY4INGSRAC110120BYOMZ OMRON Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical and..

Brand: OMRON | Manufacturer Part Number: MY4IN-GS-R AC110/120



Manufacturer	OMRON
MPN / Reference	MY4IN-GS-R AC110/120
Catalog number	MY4INGSRAC110120BYOMZ
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-507DA221AF
Generated	2026-08-05

Product Overview

Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical and LED indicators, lockable test pushbutton, 110/120 VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON
--------------	-------

Additional Product Information

Specifications
 Mounting method With plug-in socket
 Usage General purpose
 Poles 4
 Rated carry current 6 A
 Coil voltage 110 V
 Operation voltage AC
 Contact material Ag
 Contact description 4PDT
 Features LED, Test button, Transparent case, With mechanical indicator
 Terminal type Plug-in, Solder
 ETIM for 720124 Relays (EC001437)
 Feature Name

Feature Value

Type of switch contact (EF003358)

Single contact

Degree of protection (IP) (EF005474)

Other

Drive, polarization (EF003355)

Polarity free

Voltage type for actuating (EF008242)

AC

Type of electric connection (EF003961)

Plug-in connection

Drive, switching attitude (EF003356)

Mono stable

With detachable clamps (EF003340)

No

Complete with socket (EF003359)

No

With LED indication (EF005950)

Yes

With forced-guided contacts (EF003357)

No

Number of contacts as change-over contact (EF008257)

4

Number of contacts as normally open contact (EF008256)

0

Width (EF000008)

21.5 mm

Number of contacts as normally closed contact (EF008255)

0

Height (EF000040)

28 mm

Depth (EF000049)

36 mm

Nominal current (EF000001)

6 A

Rated control supply voltage AC 60 Hz (EF003979)

88 V

Rated control supply voltage AC 50 Hz (EF003978)

88 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / MY4IN-GS-R AC110/120 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.