

## INDUSTRIAL COMPONENT DATA

**MY4IN-GS-R AC220/240 MY4 5746M****MY4INGSRAC220240BYOMZ OMRON Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical and..**

Brand: OMRON | Manufacturer Part Number: MY4IN-GS-R AC220/240



|                 |                       |
|-----------------|-----------------------|
| Manufacturer    | OMRON                 |
| MPN / Reference | MY4IN-GS-R AC220/240  |
| Catalog number  | MY4INGSRAC220240BYOMZ |
| Category        | Switching relay       |
| Minimum order   | 10 Pcs                |
| Document ID     | EO-9B17B899AB         |
| Generated       | 2026-08-05            |

## Product Overview

Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical and LED indicators, lockable test pushbutton, 220/240 V AC

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |       |
|--------------|-------|
| Catalog path | OMRON |
|--------------|-------|

## Additional Product Information

Specifications

Mounting method With plug-in socket

Usage General purpose

Poles 4

Rated carry current 6 A

Coil voltage 230 V

Operation voltage AC

Contact material Ag

Contact description 4PDT

Features LED, Test button, Transparent case, With mechanical indicator

Terminal type Plug-in, Solder

ETIM for 720087 Relays (EC001437)

Feature Name

## Feature Value

Type of switch contact (EF003358)

Single contact

Degree of protection (IP) (EF005474)

Other

Drive, polarization (EF003355)

Polarity free

Voltage type for actuating (EF008242)

AC

Type of electric connection (EF003961)

Plug-in connection

Drive, switching attitude (EF003356)

Mono stable

With detachable clamps (EF003340)

No

Complete with socket (EF003359)

No

With LED indication (EF005950)

Yes

With forced-guided contacts (EF003357)

No

Number of contacts as change-over contact (EF008257)

4

Number of contacts as normally open contact (EF008256)

0

Width (EF000008)

21.5 mm

Number of contacts as normally closed contact (EF008255)

0

Height (EF000040)

28 mm

Depth (EF000049)

36 mm

Nominal current (EF000001)

6 A

Rated control supply voltage AC 60 Hz (EF003979)

176 V

Rated control supply voltage AC 50 Hz (EF003978)

176 V

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / MY4IN-GS-R AC220/240 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.