

INDUSTRIAL COMPONENT DATA

E3RA-RN11 2M E3RA2001H E3RARN112MOMI OMRON Plastic Axial Mirror (not included) 0,1-3m NPN Cable 2m

Brand: OMRON | Manufacturer Part Number: E3RA-RN11 2M



Manufacturer	OMRON
MPN / Reference	E3RA-RN11 2M
Catalog number	E3RARN112MOMI
Category	Retroreflective photoelectric sensor
Minimum order	1 Pcs
Document ID	EO-45E4E2BA3B
Generated	2026-07-31

Product Overview

Plastic Axial Mirror (not included) 0,1-3m NPN Cable 2m

Photoelectric sensor, M18 threaded barrel, radial type, plastic, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Photoelectric sensors > E3FA / E3RA

Additional Product Information

ShapeCylindrical radialSensing methodRetro-reflectiveSensing distance3000 mmSensing distance (min.)100 mmSetting methodManual adjustmentConnection methodCableCable length2 mOutput typeNPNOperation modeDark-ON, Light-ONResponse time0.5 msMaterial housingABSThread sizeM18Product Length (unpacked)54 mmType of lightPolarized red lightPower supply voltage10-30 VFeaturesM.S.R.Degree of protection (IP)IP67/IP69K

ETIM for 378951 Sensors (EC002717)

Feature Name

Feature Value

Explosion safety category for dust (EF003998)

None

Voltage type (EF000187)

DC

Construction type housing (EF004008)

Cylinder, screw-thread

Laser protection class (EF004027)
None
Degree of protection (NEMA) (EF011959)
Other
Degree of protection (IP) (EF005474)
IP67
Setting procedure (EF003994)
Manual adjustment
Material of optical surface (EF004134)
Plastic
Sensing mode (EF007503)
Light-/dark switching
Type of interface for safety communication (EF003956)
Other
Type of switch function (EF003963)
Programmable/configurable
Type of electric connection (EF003961)
Cable
Housing material (EF001596)
Plastic
Type of light (EF004029)
Polarized red light
Type of switching output (EF003962)
NPN
Operation agent-safety class (EF003982)
Safety class 3
Explosion safety category for gas (EF003997)
None
With communication interface RS-485 (EF007314)
No
Analogue output -10 V ... +10 V (EF006809)
No
With communication interface SSD (EF007315)
No
With communication interface SSI (EF007316)
No
Analogue output 0 V ... 10 V (EF006807)
No...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E3RA-RN11 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.