

INDUSTRIAL COMPONENT DATA

A22S-C3A A22S2015M A22SC3A OMRON Head selector switch long 3 pos auto left black

Brand: OMRON | Manufacturer Part Number: A22S-C3A



Manufacturer	OMRON
MPN / Reference	A22S-C3A
Catalog number	A22SC3A
Category	Front element for selector switch
Minimum order	5 Pcs
Document ID	EO-D39E627383
Generated	2026-07-29

Product Overview

Head selector switch long 3 pos auto left black

Selector head long lever 3 pos auto left black

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > A22

Additional Product Information

Knob-type Selector Switch

A22S/W

Install in 22-dia. or 25-dia. Panel Cutout

- Easy mounting and removal of Switch Unit.
- Increase wiring efficiency with three-row mounting of Switch Blocks.

- Finger protection mechanism on Switch Unit provided as a standard feature.

- Use 25-dia. ring to install in 25-dia. panel cutouts.

- Mounted using either open-type (fork-type) or closed-type (round-type) crimp terminals.

- IP65 oil resistance (non-lighted models) IP65 (lighted models)

- EN60947-5-1

- UL and cUL approved (File No. E41515).

Model Number Structure

? Model Number Legend

Completely Assembled

Shipped as a set which includes the Selector, Lamp (lighted models only), and Switch.

1 2 3 4 5

A22@-@@-@-@

1 Lighted/Non-lighted

Code Description

S Non-lighted

WLighted

2 Number of Notches/Reset Method

Code Description

2M 2 notches/Manual

2A 2 notches/Automatic

3M 3 notches/Manual

3A 3 notches/Automatic

3 Illumination Color

Code Description

None Black (for non-lighted models only) R Red

G Green Y Yellow A Blue

4 Light Source

5 Contacts

Code Description

10 SPST-NO (See note 1.)

01 SPST-NC (See note 1.)

11 SPST-NO + SPST-NC

20 DPST-NO

02 DPST-NC

Note: 1. For models with 2 notches

2. The contacts are rated for stand-ard loads. For microloads, refer to Accessories section for the A22.

Without Voltage Reduction Unit

Code Operating Voltage

None Non-lighted

With Voltage Reduction Unit

None Non-lighted

T1 LED110 VAC (See note 2.)

6D LED

6 VDCT2

220 VAC (See note 3.)

6A6 VAC

12A12 VAC/VDC

24...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / A22S-C3A with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.