

INDUSTRIAL COMPONENT DATA

A22Z-B203 A22 0119R A22ZB203 OMRON Box 3 holes A22 compatible A3T

Brand: OMRON | Manufacturer Part Number: A22Z-B203



Manufacturer	OMRON
MPN / Reference	A22Z-B203
Catalog number	A22ZB203
Category	Enclosure for control circuit devices
Minimum order	1 Pcs
Document ID	EO-C771D3EA04
Generated	2026-07-29

Product Overview

Box 3 holes A22 compatible A3T
Control box enclosure, three holes, depth 60 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > Accessories

Additional Product Information

Pushbutton Switch

A22

Install in 22-dia. or 25-dia. Panel Cutout

- Easy mounting and removal of Switch Unit.
- Increase wiring efficiency with three-row mounting of Switch Blocks.
- Finger protection mechanism on Switch Unit provided as a standard feature.
- Use 25-dia. ring to install in 25-dia. panel cutouts.
- Mounted using either open-type (fork-type) or closed-type (round-type) crimp terminals.
- Wide range of shapes and colors.
- IP65 oil resistance (non-lighted models) IP65 (lighted models)
- EN60947-5-1
- UL and cUL approved (File No. E41515)

Model Number Structure

? Model Number Legend

Completely Assembled

Shipped as a set which includes the Pushbutton, Lamp (lighted type only), and Switch.

1 2 3 4 5 6

A22@-@@-@-@@

1 Lighted/Non-lighted Code Description None Non-lighted

L Lighted

3 Illumination Color Code Description RRed

GGreen

YYellow

W White

5 Contacts

Code Description

10SPST-NO

01SPST-NC

11SPST-NO + SPST-NC

20DPST-NO

2 Flange Shape

Non-lighted

ABlue

02DPST-NC

Code Description

F Round/Flat

T Round/Projection

GRound/Full-guard

BBlack (for non-lighted type only)

4 Light Source

Without Voltage Reduction Unit

Code Operating Voltage

Note: Refer to page 16 for
contact ratings.

6 Switch Action

Code Description

HRound/Half-guard

CSquare/Projection

6DLED

6 VDC

M Momentary

DSquare/Full-guard

S Round/Mushroom (30-dia. head) MRound/Mushroom (40-dia. head)

6A6 VAC

12A12 VAC/VDC

24A24 VAC/VDC

AAlternate

Note: 1. Operational voltage: 95 to 115 VAC

2. Operational voltage: 190....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / A22Z-B203 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.