

INDUSTRIAL COMPONENT DATA

CS1W-SCB41-V1 CS1W0382C CS1WSCB41V1,1 OMRON Card 1 RS232C + 1 RS422

Brand: OMRON | Manufacturer Part Number: CS1W-SCB41-V1



Manufacturer	OMRON
MPN / Reference	CS1W-SCB41-V1
Catalog number	CS1WSCB41V1.1
Category	PLC communication module
Minimum order	1 Pcs
Document ID	EO-EDDCC29AC0
Generated	2026-07-27

Product Overview

Card 1 RS232C + 1 RS422

Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Control Systems > CS1

Additional Product Information

FeaturesThe dual-redundant PLC system for never-fail control

CS1D adds a number of dual-redundancy options to the well-proven CS1 architecture to ensure around-the-clock operation without minimal downtime. Duplex CPUs, with or without loop control functions, are continuously cross-checked for errors, without the need for special programs to be written by the user. An even simpler way to increase system availability is to use dual power supply units. Hot swapping of CPUs, power supplies and I/O units allow system maintenance with little or no process interruption.

Choose the level of redundancy needed; CPU, power supply, communication

No special programming or software tools required

Hot-swapping of I/O units

All standard CS1 I/O units can be mounted

Ideal for control of power generators, water supply utilities, 24/7 production.

Ordering information

Max. Digital I/O points

Program capacity

Data memory capacity

Logic execution speed

Max. I/O units

Additional functions

Order code

5120

250K steps

448K words

20 ns

80

-

CS1H-CPU67H

71

Supports duplex power supply and I/O hot-swapping

CS1D-CPU67S

68

CPU for full dual-redundancy

CS1D-CPU67H

CPU for full dual-redundancy, with loop control board

CS1D-CPU67P

120K steps

256K words

80

-

CS1H-CPU66H

60K steps

128K words

80

-

CS1H-CPU65H

71

Supports duplex power supply and I/O hot-swapping

CS1D-CPU65S

68

CPU for full dual-redundancy

CS1D-CPU65H

CPU for full dual-redundancy, with loop control board

CS1D-CPU65P

30K steps

64K words

80

-

CS1H-...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / CS1W-SCB41-V1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.