

INDUSTRIAL COMPONENT DATA

E32-T24R 2M E32 1583R E32T24R2M,1 OMRON Barrier right Angle Close D1mm Flexible

Brand: OMRON | Manufacturer Part Number: E32-T24R 2M



Manufacturer	OMRON
MPN / Reference	E32-T24R 2M
Catalog number	E32T24R2M.1
Category	Optical fibre sensor / optical fibre amplifier
Minimum order	1 Pcs
Document ID	EO-62914EB282
Generated	2026-07-30

Product Overview

Barrier right Angle Close D1mm Flexible

Narrow Right Angle Barrier D1mm Flexible

Fiber optic sensor head, through-beam, cylindrical radial diameter 2 mm with sleeve, diameter 1 mm, 15 mm length, R1 flexible fiber, 2 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Photoelectric sensors > E32
--------------	-------------------------------------

Additional Product Information

Sensing methodThrough-beamShapeSleevedSizedia 2 mmApplicationObject detectionFeaturesFlexible fiber, MiniatureTemperature range-40-70 °CSensing distance250 mmCable length2 mSleeve diameter1 mmSleeve length15 mmBending radius1 mmFree cutMaterial corePlasticDegree of protection (IP)IP67Sensing surface orientationSide-viewMaterial sheathPolyethylene
ETIM for 379188 Sensors (EC002651)
Feature Name
Feature Value
Voltage type (EF000187)
DC
Construction type housing (EF004008)
Cylinder plain
Laser protection class (EF004027)

Other

Degree of protection (IP) (EF005474)

IP67

Setting procedure (EF003994)

Other

Indication (EF000350)

Other

Type of switch function (EF003963)

Other

Type of electric connection (EF003961)

Other

Material fibre optics core (EF004137)

Plastic

Housing material (EF001596)

Stainless steel

Type of light (EF004029)

Other

Material of cable sheath (EF004136)

Other

Type of switching output (EF003962)

Other

Operation agent-safety class (EF003982)

Safety class 0

Analogue output -10 V ... +10 V (EF006809)

No

Analogue output 0 V ... 10 V (EF006807)

No

Analogue output 0 mA ... 20 mA (EF006808)

No

With blanking function (EF003968)

No

Analogue output 4 mA ... 20 mA (EF006810)

No

With time function (EF003582)

No

Nominal operating distance (EF004059)

150 mm

Diameter sensor (EF007111)

1 mm

Ambient temperature (EF002386)

-40 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E32-T24R 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.