

INDUSTRIAL COMPONENT DATA

E3T-ST14R 2M E3T 1086E E3TST14R2M OMRON Thumbnail 3h Barrier 1m Lateral PNP Dark Cable robotic

Brand: OMRON | Manufacturer Part Number: E3T-ST14R 2M



Manufacturer	OMRON
MPN / Reference	E3T-ST14R 2M
Catalog number	E3TST14R2M
Category	Through beam photoelectric sensor
Minimum order	1 Pcs
Document ID	EO-3C4F1AA2CD
Generated	2026-07-29

Product Overview

Thumbnail 3h Barrier 1m Lateral PNP Dark Cable robotic
 Miniature 3h Barrier 1m Side PNP Darkness Robotic Cable
 Photoelectric sensor, through-beam, 1m, DC, 3-wire, PNP, dark-on, side-view, 2m robot cable, M2 mounting

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Photoelectric sensors > E3T
--------------	-------------------------------------

Additional Product Information

Small size with precision pinpoint LED where space is crucial
 3.5mm flat model with reliable background suppression and small black/white error
 Unique optical alignment technology ensuring minimal deviation of optical axis
 High EMC and ambient light immunity
 ETIM for 130129 Sensors (EC002716)
 Feature Name
 Feature Value
 Explosion safety category for dust (EF003998)
 None
 Voltage type (EF000187)
 DC
 Construction type housing (EF004008)
 Cuboid

Scope of delivery of the one-way system (EF004032)

Transmitter and receiver

Laser protection class (EF004027)

None

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP67

Setting procedure (EF003994)

Other

Material of optical surface (EF004134)

Plastic

Sensing mode (EF007503)

Dark switching

Type of interface for safety communication (EF003956)

Other

Type of switch function (EF003963)

Other

Type of electric connection (EF003961)

Cable

Housing material (EF001596)

Plastic

Type of light (EF004029)

Polarity free red light

Material of cable sheath (EF004136)

Polyvinyl chloride (PVC)

Type of switching output (EF003962)

PNP

Operation agent-safety class (EF003982)

Safety class 0

Explosion safety category for gas (EF003997)

None

With communication interface RS-485 (EF007314)

No

Analogue output -10 V ... +10 V (EF006809)

No

With communication interface SSD (EF007315)

No

With communication interface SSI (EF007316)

No

Analogue output 0 V ... 10 V (EF006807)

No

Analogue output 0 mA ... 20 mA (EF006808)

No

With communication...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E3T-ST14R 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.