

INDUSTRIAL COMPONENT DATA

E3ZM-V61 5M E3ZM7227E E3ZMV615MOMS OMRON Marks metal cc 4h Slr 12mm NPN Teach Cable 5m

Brand: OMRON | Manufacturer Part Number: E3ZM-V61 5M



Manufacturer	OMRON
MPN / Reference	E3ZM-V61 5M
Catalog number	E3ZMV615MOMS
Category	Contrast sensor
Minimum order	1 Pcs
Document ID	EO-C6A9F638AC
Generated	2026-07-27

Product Overview

Marks metal cc 4h Slr 12mm NPN Teach Cable 5m

Metal Marks cc 4h DSLR 12mm NPN Teach Cable 5m

Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, NPN, Light-ON/Dark-ON, 5 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Photoelectric sensors > E3Z

Additional Product Information

ETIM for 332047 Sensors (EC001820)

Feature Name

Feature Value

Voltage type (EF000187)

DC

Construction type housing (EF004008)

Cuboid

Laser protection class (EF004027)

Other

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP67

Setting procedure (EF003994)

Teach-In

Material of optical surface (EF004134)

Plastic

Type of switch function (EF003963)

Normally open contact (NO)

Type of electric connection (EF003961)

Cable

Material fibre optics core (EF004137)

Plastic

Housing material (EF001596)

Stainless steel

Type of light (EF004029)

White light

Material of cable sheath (EF004136)

Polyvinyl chloride (PVC)

Type of switching output (EF003962)

NPN

Operation agent-safety class (EF003982)

Safety class 3

Analogue output -10 V ... +10 V (EF006809)

No

With fibre optics connection (EF004050)

No

Analogue output 0 V ... 10 V (EF006807)

No

Analogue output 0 mA ... 20 mA (EF006808)

No

With exchange lens (EF004053)

No

With blanking function (EF003968)

No

Analogue output 4 mA ... 20 mA (EF006810)

No

With time function (EF003582)

No

Nominal operating distance (EF004059)

12 mm

AWG-number (EF007010)

24

No-load current (EF004028)

20 mA

Number of semiconductor outputs with signalling function (EF003945)

1

Width sensor (EF007094)

10.8 mm

Height of sensor (EF007283)
32.2 mm
Max. output current (EF001315)
100 mA
Length of sensor (EF007334)
21 mm
Switching frequency (EF003587)
20 Hz
Number of contact energized outputs with signalling function (EF003946)
0
Rated control su...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E3ZM-V61 5M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.