

INDUSTRIAL COMPONENT DATA

HL-5030G HL5 5420R HL5030GOMR OMRON Compact Lever roller plunger adjustable IP65

Brand: OMRON | Manufacturer Part Number: HL-5030G



Manufacturer	OMRON
MPN / Reference	HL-5030G
Catalog number	HL5030GOMR
Category	End switch
Minimum order	1 Pcs
Document ID	EO-ED8D4E93D9
Generated	2026-07-31

Product Overview

Compact Lever roller plunger adjustable IP65
Limit switch, Adjustable roller lever, With ground terminal

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > HL

Additional Product Information

ETIM for 378666 Sensors (EC000030)
Feature Name
Feature Value
Explosion safety category for dust (EF003998)
None
Construction type housing (EF004008)
Cuboid
Degree of protection (NEMA) (EF011959)
Other
Coating housing (EF001601)
Other
Degree of protection (IP) (EF005474)
IP65
Alignment of the control element (EF008793)

Other

Type of control element (EF006976)

Adjustable roller lever

Type of interface for safety communication (EF003956)

None

Type of electric connection (EF003961)

Plug-in connection others

Type of interface (EF006977)

None

Switching function (EF000189)

Quick-break switch

Housing material (EF001596)

Metal

Explosion safety category for gas (EF003997)

None

Switching function latching (EF007447)

No

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Forced opening (EF006694)

No

Output electronic (EF006987)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

1

Rated operation current I_e at AC-15, 230 V (EF001385)

3 A

Rated operation current I_e at DC-13, 125 V (EF007085)

4 A

Number of safety auxiliary contacts (EF006940)

0

Rated operation current I_e at DC-13, 230 V (EF001386)

4 A

Number of contacts as normally closed contact (EF008255)

1

Rated operation current I_e at AC-15, 125 V (EF007082)

3 A

Width sensor (EF007094)

33 mm

Height of sensor (EF007283)

94.9 mm

Length of sensor (EF007334)

65.7 mm

Ambient temperature during operating (EF007515)

-5 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / HL-5030G with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.