

INDUSTRIAL COMPONENT DATA

J77MN-TA-63 J77M9059H J77MNTA63 OMRON Protection for terminal without use of buss bars J77MN

Brand: OMRON | Manufacturer Part Number: J77MN-TA-63



Manufacturer	OMRON
MPN / Reference	J77MN-TA-63
Catalog number	J77MNTA63
Category	Accessories/spare parts for low-voltage switch technology
Minimum order	10 Pcs
Document ID	EO-7BFB87B65D
Generated	2026-07-29

Product Overview

Protection for terminal without use of buss bars J77MN

Unused terminal protection of J77MN collector bars

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Low Voltage Switchgear > Other
--------------	--

Additional Product Information

Available rated operational currents to 32 A, 63 A and 100 A

Switching capacity is mainly 50 kA/400 V or 100 kA/400 V

All Motor Protection Circuit breaker can be mounted on a DIN-rail

For the range to 32A we provide electro-mechanical links modules

All components are finger proof

Specifications & ordering info

Ordering information

Rated current in A

Suitable for motors

3 ~ 400 V kW

Current setting range

Short-circuit breaking capacity at 3 ~ 400 V kA

Size in mm (H × W × D)

Order code

Thermal
overload release A
Instantaneous
short-circuit release A
0.16
-
0.10- 0.16
2.1
100
98 × 45 × 75
J7MN-3P-E16
0.25
0.06
0.16-0.25
3.3
100
J7MN-3P-E25
0.4
0.09
0.25-0.4
5.2
100
J7MN-3P-E4
0.63
0.18
0.4-0.63
8.2
100
J7MN-3P-E63
1
0.25
0.63-1
13
100
J7MN-3P-1
1.6
0.55
1-1.6
20.8
100
J7MN-3P-1E6
2.5
0.75
1.6-2.5
32.5
100
J7MN-3P-2E5

4
1.5
2.5-4
52
100
J7MN-3P-4
6
2.2
4-6
78
100
J7MN-3P-6
8
3
5-8
104
100
J7MN-3P-8
10
4
6-10
130
50
J7MN-3P-10
13
5.5
9-13
169
50
J7MN-3P-13
17
7.5
11-17
221
20
J7MN-3P-17
22
7.5
14-22
286
15
J7MN-3P-22
26
11
18-26
338
15

J7MN-3P-26

32

15

22-32

416

15

J7MN-3P-32

0.16

-

0.10-0.16

2.1

100

98 × 45 × 100

J7MN-3R-E16

0.25

0.06

0.16-0.25

3.3

100

J7MN-3R-E25

0.4

0.09

0.25-0.4

5.2

100

J7MN-3R-E4

0.63

0.18

0.4-0.63

8.2

100

J7MN-3R-E63

1

0.25

0.63-1

13

100

J7MN-3R-1

1.6

0.55

1-1.6

20.8

100

J7MN-3R-1E6

2.5

0.75

1.6-2.5

32.5
100
J7MN-3R-2E5
4
1.5
2.5-4
52
100
J7MN-3R-4
6
2.2
4-6
78
100
J7MN-3R-6
8
3
5-8
104
100
J7MN-3R-8
10
4
6-10
130
100
J7MN-3R-10
13
5.5
9-13
169
100
J7MN-3R-...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / J77MN-TA-63 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.