

INDUSTRIAL COMPONENT DATA

E3S-LS3PW 2M E3SL1320A E3SLS3PW2M OMRON Point fixed focal length 60mm PNP light Cable 2m Recep/Issuer

Brand: OMRON | Manufacturer Part Number: E3S-LS3PW 2M



Manufacturer	OMRON
MPN / Reference	E3S-LS3PW 2M
Catalog number	E3SLS3PW2M
Category	Light scanner with background masking
Minimum order	1 Pcs
Document ID	EO-7D82EF0F30
Generated	2026-07-29

Product Overview

Point fixed focal length 60mm PNP light Cable 2m Recep/Issuer

Photoelectric sensor limited-reflective, diffuse, wide beam for structured-shiny-irregularly objects, 10-60mm, PNP, 2m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Photoelectric sensors
--------------	-------------------------------

Additional Product Information

ShapeCuboidSensing methodLimited reflectiveSensing distance60 mmSensing distance (min.)10 mmSetting methodManual adjustmentConnection methodCableCable length2 mOutput typePNPOperation modeLight-ONResponse time1 msMaterial housingABSThread sizeOtherProduct Width (unpacked)10 mmProduct Height (unpacked)34 mmProduct Depth (unpacked)19.3 mmType of lightPolarity free red lightSpot size35 x 5 mmPower supply voltage12-24

VFeaturesStructured object detection

ETIM for 130314 Sensors (EC002719)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP40

Material of optical surface (EF004134)

Plastic

Type of interface for safety communication (EF003956)

Other

Housing material (EF001596)

Plastic

Operation agent-safety class (EF003982)

Safety class 3

Explosion safety category for gas (EF003997)

None

Explosion safety category for dust (EF003998)

None

Voltage type (EF000187)

DC

Construction type housing (EF004008)

Cuboid

Laser protection class (EF004027)

None

Setting procedure (EF003994)

Other

Sensing mode (EF007503)

Light switching

Triangulation (EF008296)

Background fade-out

Type of switch function (EF003963)

Normally open contact (NO)

Type of electric connection (EF003961)

Cable

Type of light (EF004029)

Polarity free red light

Material of cable sheath (EF004136)

Polyvinyl chloride (PVC)

Type of switching output (EF003962)

PNP

With communication interface RS-485 (EF007314)

No

With communication interface SSD (EF007315)

No

With communi...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E3S-LS3PW 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.