

**INDUSTRIAL COMPONENT DATA**

# EE-SX770 2M EESX1619A EESX7702M OMRON Horseshoe 5mm Vert PC-Board

Brand: OMRON | Manufacturer Part Number: EE-SX770 2M



|                 |                    |
|-----------------|--------------------|
| Manufacturer    | OMRON              |
| MPN / Reference | EE-SX770 2M        |
| Catalog number  | EESX7702M          |
| Category        | Fork light barrier |
| Minimum order   | 1 Pcs              |
| Document ID     | EO-999E9B6E90      |
| Generated       | 2026-08-01         |

## Product Overview

Horseshoe 5mm Vert PC-Board

Photomicro sensor, slim, 5 mm slot, indicator incident light on, D-on, NPN, 2 m cable

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      OMRON &gt; Photoelectric sensors &gt; Photomicro

## Additional Product Information

Compact, thin profile enables mounting where space is crucial

Indicator is visible from both sides

Operating voltage range: 5 to 24 VDC

ETIM for 127668 Sensors (EC002720)

Feature Name

Feature Value

Explosion safety category for dust (EF003998)

None

Voltage type (EF000187)

DC

Construction type housing (EF004008)

Special construction

Laser protection class (EF004027)

None

Degree of protection (NEMA) (EF011959)  
Other  
Degree of protection (IP) (EF005474)  
Other  
Setting procedure (EF003994)  
Other  
Material of optical surface (EF004134)  
Plastic  
Sensing mode (EF007503)  
Dark switching  
Type of interface for safety communication (EF003956)  
Other  
Type of switch function (EF003963)  
Breaker contact (NC)  
Type of electric connection (EF003961)  
Cable  
Housing material (EF001596)  
Plastic  
Type of light (EF004029)  
Infrared light  
Material of cable sheath (EF004136)  
Polyvinyl chloride (PVC)  
Type of switching output (EF003962)  
NPN  
Operation agent-safety class (EF003982)  
Safety class 3  
Explosion safety category for gas (EF003997)  
None  
With communication interface RS-485 (EF007314)  
No  
Analogue output -10 V ... +10 V (EF006809)  
No  
With communication interface SSD (EF007315)  
No  
With communication interface SSI (EF007316)  
No  
Analogue output 0 V ... 10 V (EF006807)  
No  
Analogue output 0 mA ... 20 mA (EF006808)  
No  
With communication interface RS-232 (EF007312)  
No  
With communication interface DeviceNet (EF007308)  
No  
With monitoring function downstream switching devices (EF004052)  
No  
With reflector (EF007448)...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / EE-SX770 2M with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.