

INDUSTRIAL COMPONENT DATA

E2E-C06N04-MC-C1 E2E 8168M E2EC06N04MCC1OMS OMRON Inductive day.6.5 mm Non-enr 4mm 3h NPN NA Connector M8 3-..

Brand: OMRON | Manufacturer Part Number: E2E-C06N04-MC-C1



Manufacturer	OMRON
MPN / Reference	E2E-C06N04-MC-C1
Catalog number	E2EC06N04MCC1OMS
Category	Inductive proximity switch
Minimum order	1 Pcs
Document ID	EO-B12CAEF542
Generated	2026-08-04

Product Overview

Inductive day.6.5 mm Non-enr 4mm 3h NPN NA Connector M8 3-pin

Inductive dia.6.5mm No enr 4mm 3h NPN NA M8 connector 3 pin

Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, M8(3P), NPN NO

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Proximity Sensors > E2E

Additional Product Information

FeaturesSmall diameter proximity sensors for high precision detection

Omron's latest inductive technology has now been applied to a new range of small diameter inductive sensors. The new μ PROX E2E provides precision detection and allows installation in even the most confined spaces. The portfolio has been extended to include non-shielded types and versions with pig-tail connector leads.

Miniature size: 3, 4, 6.5 mm and M4, M5 diameters

High frequency of 5 kHz: suitable for high-speed counting

All sizes are also available as non-shielded types

IP67 water ingress protection

Highly visible indicators for easy operation confirmation

Ordering information

Size

Sensing distance

Connection

Output configuration

Order code

Operation mode NO

Operation mode NC

dia 3 mm

¢

0.8 mm

PW

PNP

E2E-C03SR8-WC-B1 2M OMS

E2E-C03SR8-WC-B2 2M OMS

NPN

E2E-C03SR8-WC-C1 2M OMS

E2E-C03SR8-WC-C2 2M OMS

¢

2 mm

PW

PNP

E2E-C03N02-WC-B1 2M OMS

E2E-C03N02-WC-B2 2M OMS

NPN

E2E-C03N02-WC-C1 2M OMS

E2E-C03N02-WC-C2 2M OMS

M4

¢

0.8 mm

PW

PNP

E2E-S04SR8-WC-B1 2M OMS

E2E-S04SR8-WC-B2 2M OMS

NPN

E2E-S04SR8-WC-C1 2M OMS

E2E-S04SR8-WC-C2 2M OMS

¢

2 mm

PW

PNP

E2E-S04N02-WC-B1 2M OMS

E2E-S04N02-WC-B2 2M OMS

NPN

E2E-S04N02-WC-C1 2M OMS

E2E-S04N02-WC-C2 2M OMS

dia 4 mm

¢

1.2 mm

PW
PNP
E2E-C04S12-WC-B1 2M OMS
E2E-C04S12-WC-B2 2M OMS
NPN
E2E-C04S12-WC-C1 2M OMS
E2E-C04S12-WC-C2 2M OMS
¢
3 mm
PW
PNP
E2E-C04N03-WC-B1 2M OMS
E2E-C04N03-WC-B2 2M OMS
NPN
E2E-C04N03-WC-C1 2M OMS
E2E-C04N03-WC-C2 2M OMS
M5
¢
1.2 mm
PW
PNP
E2E-S05S12...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E2E-C06N04-MC-C1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.