

INDUSTRIAL COMPONENT DATA

E2S-Q26 1M E2S 7027M E2SQ261MOMS OMRON Miniature Square Front 3h NoEnr 2.5 mm PNP NC Cable 1m

Brand: OMRON | Manufacturer Part Number: E2S-Q26 1M



Manufacturer	OMRON
MPN / Reference	E2S-Q26 1M
Catalog number	E2SQ261MOMS
Category	Inductive proximity switch
Minimum order	10 Pcs
Document ID	EO-7B1B79361D
Generated	2026-08-01

Product Overview

Miniature Square Front 3h NoEnr 2.5 mm PNP NC Cable 1m

Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, PNP, NC, 1m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Proximity Sensors > Others

Additional Product Information

Specifications

Size 8 x 8 x 23 mm

Mounting type Non-flush

Sensing distance 2.5 mm

Output type PNP

Operation mode NC

Connection method Cable

Material housing Polyacrylate

Cable specifications PVC

Cable length 1 m

Overall length of sensor 26 mm

Sensing surface orientation Front

ETIM for 231589 Sensors (EC002714)

Feature Name

Feature Value

Explosion safety category for dust (EF003998)

None

Voltage type (EF000187)

DC

Construction type housing (EF004008)

Cuboid

Degree of protection (NEMA) (EF011959)

Other

Coating housing (EF001601)

Other

Mechanical mounting condition for sensor (EF004041)

Not flat

Performance level according to EN ISO 13849-1 (EF007399)

Level a

Type of interface for safety communication (EF003956)

None

Type of actuation (EF006949)

Metallic Target

Type of switch function (EF003963)

Breaker contact

Type of electric connection (EF003961)

Cable

Type of interface (EF006977)

None

SIL according to IEC 61508 (EF009889)

None

Housing material (EF001596)

Plastic

Type of switching output (EF003962)

PNP

Interference resistance to magnetic fields (EF008275)

Immune against magnetic DC-field

Explosion safety category for gas (EF003997)

None

Cascadable (EF000507)

Yes

With monitoring function downstream switching devices (EF004052)

No

Compression-resistant (EF007106)

No

Suitable for safety functions (EF001597)

No

Number of protected contact energized outputs (EF003952)

0

Number of semiconductor outputs with signalling function (EF003945)

1

Number of protected semiconductor outputs...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E2S-Q26 1M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.