

INDUSTRIAL COMPONENT DATA

R89F-MS0938LP-S1 R89F0021D R89FMS0938LPS1 OMRON

AC Axial fan, plastic blade, frame 92x38, low speed, 1 x fin..

Brand: OMRON | Manufacturer Part Number: R89F-MS0938LP-S1



Manufacturer	OMRON
MPN / Reference	R89F-MS0938LP-S1
Catalog number	R89FMS0938LPS1
Category	Ventilator (switchgear cabinet)
Minimum order	1 Pcs
Document ID	EO-59AA05CE3A
Generated	2026-08-05

Product Overview

AC Axial fan, plastic blade, frame 92x38, low speed, 1 x finger guard, 4 x M4 x 55 mm screws, 4 x M4 nuts, 1 m connector cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Power supplies > Fan

Additional Product Information

Size92 x 92 x 38 mmOperating voltage at AC 50 Hz90-264 VRated current0.06 ARated power3.0 VARated rotational speed3100 r/minMaximum flow rate1.18 m³/minMaximum static pressure56 PaNoise emission33 dB(A)Set content1 x Finger guard, Fan, M4 x 55 mm Screws, Nuts, Plug cord (1 m)

ETIM for 686238 Cabinets and enclosures (EC000320)

Feature Name

Feature Value

Voltage type (EF000187)

AC

Mounting method (EF000003)

Screw mounting

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

Other

Colour (EF000007)

Black

Air circulator (EF007516)

No

Suitable for wall built-in (EF007536)

No

EMC-version (EF001062)

No

With protective cover (EF005500)

Yes

Roof ventilator (EF007099)

No

With filter (EF006013)

No

Suitable for 19 inch rack mounting (EF000337)

No

Built as slide-in ventilator (EF007126)

No

RAL-number (EF000116)

9005

Rated power (EF007051)

3.0 W

Width (EF000008)

92 mm

Volume flow, freeblowing (EF007173)

70.8 m³/h

Height (EF000040)

92 mm

Noise emission (EF007829)

33 dB(A)

Depth (EF000049)

38 mm

Number of fans (EF000928)

1

Operating voltage AC 50 Hz (EF008206)

90 V

Operating voltage AC 60 Hz (EF008207)

100 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / R89F-MS0938LP-S1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.