

Voltage class

Constant torque

Variable torque

Standard

Voltage class

Constant torque

Variable torque

Standard

Max. motor kW

Rated current A

Max. motor KW

Rated current A

Max. motor kW

Rated current A

Max. motor KW

Rated current A

Three-phase

200 V

0.4

3.0

0.75

3.7

3G3RX-A2004-E1F

Three-phase

400 V

0.4

1.5

0.75

1.9

3G3RX-A4004-E1F

0.75

5.0

1.5

6.3

3G3RX-A2007-E1F

0.75

2.5

1.5

3.1

3G3RX-A4007-E1F

1.5

7.5

2.2

9.4

3G3RX-A2015-E1F

1.5

3.8

2.2
4.8
3G3RX-A4015-E1F
2.2
10.5
4.0
12
3G3RX-A2022-E1F
2.2
5.3
4.0
6.7
3G3RX-A4022-E1F
4.0
16.5
5.5
19.6
3G3RX-A2037-E1F
4.0
9.0
5.5
11.1
3G3RX-A4040-E1F
5.5
24
7.5
30
3G3RX-A2055-E1F
5.5
14
7.5
16
3G3RX-A4055-E1F
7.5
32
11
44
3G3RX-A2075-E1F
7.5
19
11
22
3G3RX-A4075-E1F
11
46
15
58

3G3RX-A2110-E1F

11

25

15

29

3G3RX-A4110-E1F

15

64

18.5

73

3G3RX-A2150-E1F

15

32

18.5

37

3G3RX-A4150-E1F

18.5

76

22

85

3G3RX-A2185-E1F

18.5

38

22

43

3G3RX-A4185-E1F

22

95

30

113

3G3RX-A2220-E1F

22

48

30

57

3G3RX-A4220-E1F

30

121

37

140

3G3RX-A2300-E1F

30

58

37

70

3G3RX-A4300-E1F

37

145
45
169
3G3RX-A2370-E1F
37
75
45
85
3G3RX-A4370-E1F
45
182
55
210
3G3RX...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / AX-FIR3010-RE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.