

INDUSTRIAL COMPONENT DATA

S8FS-C35024 S8FS0042G S8FSC35024 OMRON F. power supply, metal case, 350W, 24VDC, 14.6 A, front Connection, L...

Brand: OMRON | Manufacturer Part Number: S8FS-C35024



Manufacturer	OMRON
MPN / Reference	S8FS-C35024
Catalog number	S8FSC35024
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-856D88B339
Generated	2026-08-06

Product Overview

F. power supply, metal case, 350W, 24VDC, 14.6 A, front Connection, LITE
Power supply, 350 W, 100-240 VAC input, 24 VDC, 14.6 A output, Upper terminal

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Power supplies
--------------	------------------------

Additional Product Information

TypeEnclosedMounting methodDirect mountingPhaseSingleOutput voltage24 VPower output350 WEfficiency88 %Rated output current14.6 ATemperature range-20-60 °CFeaturesTerminal block facing upwardTerminal typeScrewCommunication port(s)NoneAlarm function-Number of output branches1Rated supply voltage at AC 50 Hz100-240 VAllowable supply voltage AC90-264 VAllowable supply voltage DC254-373 VProduct Width (unpacked)112.5 mmProduct Height (unpacked)50 mmProduct Depth (unpacked)212 mm

ETIM for 668810 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP00

Performance level according to EN ISO 13849-1 (EF007399)

None

Type of electric connection (EF003961)
Screw connection

SIL according to IEC 61508 (EF009889)
None

Voltage type (supply voltage) (EF002991)
AC/DC

Wall mounting possible (EF003973)
Yes

Stabilized (EF005302)
No

Output voltage stabilized (EF003092)
No

Secondary voltage adjustable (EF007002)
Yes

Direct mounting possible (EF005689)
Yes

Suitable for safety functions (EF001597)
No

Short-circuit-proof (EF007332)
Yes

Modular version (EF001126)
No

Suitable for rail mounting (EF003972)
No

Power consumption (EF000346)
805 VA

Max. output current 1 (EF008284)
14.6 A

Built-in height (EF000332)
112.5 mm

Built-in width (EF000846)
212 mm

Width in number of modular spacings (EF002950)
20

Nominal value output voltage 1 (EF009393)
24 V

Width (EF000008)
212 mm

Height (EF000040)
112...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / S8FS-C35024 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.