

## INDUSTRIAL COMPONENT DATA

# S8FS-C35036 S8FS0043E S8FSC35036 OMRON F. power supply, metal case, 350W, 36VDC, 9.7 A, front Connection, LI..

Brand: OMRON | Manufacturer Part Number: S8FS-C35036



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | OMRON           |
| MPN / Reference | S8FS-C35036     |
| Catalog number  | S8FSC35036      |
| Category        | DC-power supply |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-76D85DB583   |
| Generated       | 2026-08-04      |

## Product Overview

F. power supply, metal case, 350W, 36VDC, 9.7 A, front Connection, LITE  
Power supply, 350 W, 100-240 VAC input, 36 VDC, 9.7 A output, Upper terminal

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                        |
|--------------|------------------------|
| Catalog path | OMRON > Power supplies |
|--------------|------------------------|

## Additional Product Information

Wide range in wattage (15, 25, 35, 50, 75, 100, 150, 200, 350 W) and DC-output voltage (5, 12, 15, 24, 36 or 48 VDC)

Wide input ranges: 100 to 120 VAC and 200 to 240 VAC

Overload, over-voltage and short circuit protection

Easy mounting to DIN-rail with mounting brackets (sold separately)

Global standards: Conforms to CE (all models), approved for UL (all models) and CCC (15 to 150 W models)

EMI EN 55011 Class B compliant (15 to 150 W models)

ETIM for 668730 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP00

Performance level according to EN ISO 13849-1 (EF007399)

None

Type of electric connection (EF003961)

Screw connection

SIL according to IEC 61508 (EF009889)

None

Voltage type (supply voltage) (EF002991)

AC/DC

Wall mounting possible (EF003973)

Yes

Stabilized (EF005302)

No

Output voltage stabilized (EF003092)

No

Secondary voltage adjustable (EF007002)

Yes

Direct mounting possible (EF005689)

Yes

Suitable for safety functions (EF001597)

No

Short-circuit-proof (EF007332)

Yes

Modular version (EF001126)

No

Suitable for rail mounting (EF003972)

No

Power consumption (EF000346)

805 VA

Max. output current 1 (EF008284)

9.7 A

Built-in height (EF000332)

112.5 mm

Built-in width (EF000846)

212 mm

Width in number of modular spacings (EF002950)

20

Nominal value output voltage 1 (EF009393)

36 V

Width (EF000008)

212 mm

Height (EF000040)

112.5 mm

Power output (EF003034)

350....

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / S8FS-C35036 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.