

INDUSTRIAL COMPONENT DATA

S8FS-G03024C-400 S8FS2816M S8FSG03024C400 OMRON

Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A outp..

Brand: OMRON | Manufacturer Part Number: S8FS-G03024C-400



Manufacturer	OMRON
MPN / Reference	S8FS-G03024C-400
Catalog number	S8FSG03024C400
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-F5EE4FE9DD
Generated	2026-08-05

Product Overview

Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, direct mounting, coated version

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Power supplies
--------------	------------------------

Additional Product Information

Superior basic performance that ensures reliability Ambient temperatures up to 70°C, greater resistance to rusting with aluminum/stainless steel case, and applications at altitudes up to 3,000 m.

Certification for Global StandardsNorth America: UL 508 (Listing), CSA C22.2

Europe: Overvoltage category III (EN 50178)

EMI: Class B (EN 61204-3)

No need for control circuit transformers for which the Machinery Directive is specified. (IEC 61558-2-16)

Greater usability - The terminal cover prevents screws from dropping out and the front cover prevents ingress of foreign matter.

ETIM for 678159 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Type of electric connection (EF003961)

Screw connection

Voltage type (supply voltage) (EF002991)

AC/DC

Wall mounting possible (EF003973)

Yes

Stabilized (EF005302)

No

Secondary voltage adjustable (EF007002)

Yes

Direct mounting possible (EF005689)

Yes

Suitable for safety functions (EF001597)

No

Short-circuit-proof (EF007332)

Yes

Modular version (EF001126)

No

Suitable for rail mounting (EF003972)

No

Max. output current 1 (EF008284)

1.5 A

Built-in height (EF000332)

82 mm

Width in number of modular spacings (EF002950)

2.20

Width (EF000008)

35 mm

Height (EF000040)

82 mm

Power output (EF003034)

30 W

Depth (EF000049)

99 mm

Rated supply voltage AC 50 Hz (EF007076)

100 V

Rated supply voltage DC (EF007078)

120 V

Rated supply voltage AC 60 Hz (EF007077)

100 V

1st secondary output voltage (EF006792)

21.6 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / S8FS-G03024C-400 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.