

INDUSTRIAL COMPONENT DATA

S8VK-G01512-400 S8VK1201D S8VKG01512400 OMRON

Power supply 15W/12V/1.2 A DIN rail, and uses tropicalized

Brand: OMRON | Manufacturer Part Number: S8VK-G01512-400



Manufacturer	OMRON
MPN / Reference	S8VK-G01512-400
Catalog number	S8VKG01512400
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-FE2E804FC6
Generated	2026-08-05

Product Overview

Power supply 15W/12V/1.2 A DIN rail, and uses tropicalized

15W/12V/1.2A Tropicalized DIN Rail Power Supply

Coated version, Book type power supply, Pro, Single-phase, 15 W, 12 VDC, 1.2A, DIN rail mounting

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Power supplies > S8VK-G

Additional Product Information

Wide operating temperature range (-40 to +70°C) to guarantee operation stability

Double set of DC output terminals (three for the negative) to provide easy wiring

High efficiency (90%) to reduce energy consumption

Power Boost functionality (120%)

Improved DIN-rail mounting clip to provide better vibration resistance and allow for easy installation

Accessories

ETIM for 659378 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP20

Performance level according to EN ISO 13849-1 (EF007399)

None

Type of electric connection (EF003961)

Screw connection

SIL according to IEC 61508 (EF009889)

None

Voltage type (supply voltage) (EF002991)

AC/DC

Wall mounting possible (EF003973)

Yes

Stabilized (EF005302)

No

Output voltage stabilized (EF003092)

No

Secondary voltage adjustable (EF007002)

Yes

Direct mounting possible (EF005689)

No

Suitable for safety functions (EF001597)

No

Short-circuit-proof (EF007332)

No

Modular version (EF001126)

Yes

Suitable for rail mounting (EF003972)

Yes

Power consumption (EF000346)

48.3 VA

Max. output current 1 (EF008284)

1.2 A

Built-in height (EF000332)

100 mm

Built-in width (EF000846)

22.5 mm

Width in number of modular spacings (EF002950)

1

Nominal value output voltage 1 (EF009393)

12 V

Width (EF000008)

22.5 mm

Height (EF000040)

90 mm

Power output (EF003034)

15 W

Nominal value output current 1 (EF009396)

1.2 A

Depth (EF000049)

90 mm

Rated supply vo...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / S8VK-G01512-400 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.