

## INDUSTRIAL COMPONENT DATA

# S8VK-S03024 S8VK5004H S8VKS03024 OMRON Power source 30W/24V/1.3 A DIN rail, Push-in+

Brand: OMRON | Manufacturer Part Number: S8VK-S03024



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | OMRON           |
| MPN / Reference | S8VK-S03024     |
| Catalog number  | S8VKS03024      |
| Category        | DC-power supply |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-4FC15F8C04   |
| Generated       | 2026-08-06      |

## Product Overview

Power source 30W/24V/1.3 A DIN rail, Push-in+

Book type power supply, 30 W, 24 VDC, 1.3A, DIN rail mounting, Push-in terminal, Coated

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path OMRON &gt; Power supplies &gt; S8VK-S

## Additional Product Information

TypeDIN-railMounting methodDIN railPhaseSingleOutput voltage24 VPower output30 WRated output current1.3 A  
Efficiency86 %Power boost ratio120 %Temperature range-40-70 °CFeaturesCoatedTerminal typePush-inCommunication port(s)NoneAlarm function-Number of output branches1Rated supply voltage at AC 50 Hz100-240 VAllowable supply voltage AC85-264 VAllowable supply voltage DC90-350 VProduct Width (unpacked)32 mmProduct Height (unpacked)90 mmProduct Depth (unpacked)90 mm

ETIM for 675333 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP20

Performance level according to EN ISO 13849-1 (EF007399)

None

SIL according to IEC 61508 (EF009889)

None

Voltage type (supply voltage) (EF002991)

AC/DC

Type of electric connection (EF003961)

Other

Wall mounting possible (EF003973)

No

Secondary voltage adjustable (EF007002)

Yes

Modular version (EF001126)

No

Suitable for rail mounting (EF003972)

Yes

Stabilized (EF005302)

Yes

Output voltage stabilized (EF003092)

Yes

Direct mounting possible (EF005689)

No

Suitable for safety functions (EF001597)

No

Short-circuit-proof (EF007332)

Yes

Power consumption (EF000346)

82.8 VA

Width in number of modular spacings (EF002950)

1.8

Nominal value output voltage 1 (EF009393)

24 V

Width (EF000008)

32 mm

Depth (EF000049)

90 mm

Max. output current 1 (EF008284)

1.56 A

Built-in height (EF000332)

90 mm

Built-in width (EF000846)

32 mm

Height (EF000040)

90 mm...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / S8VK-S03024 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.