

INDUSTRIAL COMPONENT DATA

SHL-W355 SHLN3005A SHLW355 OMRON Short lever arm unidirectional IP67 Miniature

Brand: OMRON | Manufacturer Part Number: SHL-W355



Manufacturer	OMRON
MPN / Reference	SHL-W355
Catalog number	SHLW355
Category	End switch
Minimum order	5 Pcs
Document ID	EO-3584EA88FD
Generated	2026-08-05

Product Overview

Short lever arm unidirectional IP67 Miniature

Ip67 Miniature Single Roller Short Lever

Enclosed switch, one-way action short hinge roller lever, SPDT, 10A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > SHL

Additional Product Information

FeaturesLimit switches with alternative connection and wiring

Extending the standard and compact limit switches the D4E, SHL and WL families provide models with pre-wired connectors (pigtailed), terminal blocks with alternative conduit sizes (PG13.5, G1/2, 1/2"14NPT), soldering contacts, screw on conduit covers and optional cable breakage protection.

Contact your Omron representative for support in selecting the fitting model.

ETIM for 146140 Sensors (EC000030)

Feature Name

Feature Value

Explosion safety category for dust (EF003998)

None

Construction type housing (EF004008)

Cuboid

Degree of protection (NEMA) (EF011959)

Other
Coating housing (EF001601)
Other
Degree of protection (IP) (EF005474)
IP67
Alignment of the control element (EF008793)
Roller cam straight
Type of control element (EF006976)
Roller lever
Type of interface for safety communication (EF003956)
None
Type of electric connection (EF003961)
Other
Type of interface (EF006977)
None
Switching function (EF000189)
Quick-break switch
Housing material (EF001596)
Metal
Explosion safety category for gas (EF003997)
None
Switching function latching (EF007447)
No
With status indication (EF001602)
No
Suitable for safety functions (EF001597)
No
Forced opening (EF006694)
No
Output electronic (EF006987)
No
Number of contacts as change-over contact (EF008257)
1
Number of contacts as normally open contact (EF008256)
0
Number of safety auxiliary contacts (EF006940)
0
Rated operation current I_e at DC-13, 24 V (EF007087)
2 A
Number....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / SHL-W355 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.