

INDUSTRIAL COMPONENT DATA

G3PW-A260EU-C G3PW1002M G3PWA260EUC OMRON 60A Phase Control 4-20mA

Brand: OMRON | Manufacturer Part Number: G3PW-A260EU-C



Manufacturer	OMRON
MPN / Reference	G3PW-A260EU-C
Catalog number	G3PWA260EUC
Category	Solid state relay
Minimum order	1 Pcs
Document ID	EO-CD76BD10B7
Generated	2026-08-02

Product Overview

60A Phase Control 4-20mA

Single phase power controller, standard type, 60 A, SLC terminals

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Solid State Relays > G3PW

Additional Product Information

Precise heater burnout detection

Phase control or optimum cycle control

RS-485 communications to set manipulated variables and monitor load current

Total runtime monitoring

Application with various loads: constant load resistance, variable load resistance

Specifications & ordering info

Ordering information

Applicable output load

Type

Contact terminal block

Heater burnout detection

Communications

Order code

100 to 240 VAC

20 A

Standard

Screwless clamp terminal block

No

No

G3PW-A220EU-C

45 A

G3PW-A245EU-C

60 A

G3PW-A260EU-C

20 A

Constant current

Yes

Yes

G3PW-A220EC-C-FLK

45 A

G3PW-A245EC-C-FLK

60 A

G3PW-A260EC-C-FLK

20 A

Standard

Terminal block with small slotted screws

No

No

G3PW-A220EU-S

45 A

G3PW-A245EU-S

60 A

G3PW-A260EU-S

20 A

Constant current

Yes

Yes

G3PW-A220EC-S-FLK

45 A

G3PW-A245EC-S-FLK

60 A

G3PW-A260EC-S-FLK

Accessories (Order separately)

Name

Resistive value

Display

Order code

External Variable Resistor

2 k?

202

G32X-V2K

Specifications

Order code

Standard Models

Constant-current Models

G3PW-A2__EU-__

G3PW-A2__EC-__-FLK

Control method

Analog input: Phase control or optimum cycle control

Voltage ON/OFF input: ON/OFF control

Maximum load capacity

Phase control: Linear (resistive) load, transformer primary-side control (flux density: 1.25 T max.)

Optimum cycle control: Linear (resistive) load (Transformer primaryside control is not supported.)

Output mode

Analog input

Phase control

Proportional to phase angle (same as G3PX), proportional to square voltage, proportional....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / G3PW-A260EU-C with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.