

INDUSTRIAL COMPONENT DATA

A16-24DSY A16 0028H A1624DSY OMRON LED High brightness Yellow 24vdc

Brand: OMRON | Manufacturer Part Number: A16-24DSY



Manufacturer	OMRON
MPN / Reference	A16-24DSY
Catalog number	A1624DSY
Category	Accessories/spare parts for low-voltage switch technology
Minimum order	20 Pcs
Document ID	EO-249A06462A
Generated	2026-07-28

Product Overview

LED High brightness Yellow 24vdc

LED, 24 VDC, yellow, superbright

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OMRON > Industrial Limit switches / Pushbuttons > A16
--------------	---

Additional Product Information

Wide variety of control and signal devices: lighted, non-lighted and buzzer

Quick and easy assembly, snap-in switch

Wide range of switching capacity from standard load to micro load

High reliability, IP65

UL, cUL and CSA approved, conforms to EN60947-5-1 and IEC947-5-1

Specifications & ordering info

Ordering information

Type

Color

Order code

Degree of protection: Oil-resistant IP65

Rectangular

Square

Round

Non-lighted

LED

Incandescent lamp

Red

A165L-JR

A165L-AR

A165L-TR

Yellow

A165L-JY

A165L-AY

A165L-TY

Pure yellow

A165L-JPY

A165L-APY

A165L-TPY

White

A165L-JW

A165L-AW

A165L-TW

Blue

A165L-JA

A165L-AA

A165L-TA

Non-lighted

Black

A165L-JB

A165L-AB

A165L-TB

LED

Green

A165L-JGY

A165L-AGY

A165L-TGY

Non-lighted/incandescent lamp

Green

A165L-JG

A165L-AG

A165L-TG

Cases

Appearance

Classification

Order code

Oil-resistant IP65

Momentary operation

Rectangular (2-way guard)

A165-CJM

Square

A165-CAM
Round
A165-CTM
Alternate operation
Rectangular (2-way guard)
A165-CJA
Square
A165-CAA
Round
A165-CTA
Switches
Appearance
Classification
Order code
Lighted/
non-lighted (common use)
Standard load/
microload (common use)
SPDT
Solder
terminal
A16-1
DPDT
A16-2
SPDT
PCB
terminal
A16-1P
DPDT
A16-2P
DPDT
Screw-less clamp
A16-2S
Switches with reduced voltage lighting
Appearance
Classification
Order code
100 V
Standard load/
microload
(common use)
SPDT
Solder terminal
A16-T1-1
DPDT
A16-T1-2
100 V

DPDT
Screw-less clamp
A16-T1-2S
200 V
A16-T2-2S
Lamps
Type
Color
Order code
5 VDC
12 VDC
24 VDC
LED
Red
A16-5...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / A16-24DSY with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.