

INDUSTRIAL COMPONENT DATA

A16S-3N-2L A16S3010M A16S3N2L OMRON Block DPDT contacts with ilum 3 pos A165S/W

Brand: OMRON | Manufacturer Part Number: A16S-3N-2L



Manufacturer	OMRON
MPN / Reference	A16S-3N-2L
Catalog number	A16S3N2L
Category	Auxiliary contact block
Minimum order	3 Pcs
Document ID	EO-E7513E7D3A
Generated	2026-07-27

Product Overview

Block DPDT contacts with ilum 3 pos A165S/W
Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position illuminated selector switch, solder terminal

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > A16

Additional Product Information

Wide variety of control and signal devices: lighted, non-lighted and buzzer
Quick and easy assembly, snap-in switch
Wide range of switching capacity from standard load to micro load
High reliability, IP65
UL, cUL and CSA approved, conforms to EN60947-5-1 and IEC947-5-1
Specifications & ordering info
Ordering information
Type
Color
Order code
Degree of protection: Oil-resistant IP65
Rectangular
Square
Round

Non-lighted

LED

Incandescent lamp

Red

A165L-JR

A165L-AR

A165L-TR

Yellow

A165L-JY

A165L-AY

A165L-TY

Pure yellow

A165L-JPY

A165L-APY

A165L-TPY

White

A165L-JW

A165L-AW

A165L-TW

Blue

A165L-JA

A165L-AA

A165L-TA

Non-lighted

Black

A165L-JB

A165L-AB

A165L-TB

LED

Green

A165L-JGY

A165L-AGY

A165L-TGY

Non-lighted/incandescent lamp

Green

A165L-JG

A165L-AG

A165L-TG

Cases

Appearance

Classification

Order code

Oil-resistant IP65

Momentary operation

Rectangular (2-way guard)

A165-CJM

Square

A165-CAM
Round
A165-CTM
Alternate operation
Rectangular (2-way guard)
A165-CJA
Square
A165-CAA
Round
A165-CTA
Switches
Appearance
Classification
Order code
Lighted/
non-lighted (common use)
Standard load/
microload (common use)
SPDT
Solder
terminal
A16-1
DPDT
A16-2
SPDT
PCB
terminal
A16-1P
DPDT
A16-2P
DPDT
Screw-less clamp
A16-2S
Switches with reduced voltage lighting
Appearance
Classification
Order code
100 V
Standard load/
microload
(common use)
SPDT
Solder terminal
A16-T1-1
DPDT
A16-T1-2
100 V

DPDT

Screw-less clamp

A16-T1-2S

200 V

A16-T2-2S

Lamps

Type

Color

Order code

5 VDC

12 VDC

24 VDC

LED

Red

A16-5...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / A16S-3N-2L with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.