

INDUSTRIAL COMPONENT DATA

E5EN-HAA2HBMD-500 24VAC/DC E5EN7208E

E5ENHAA2HBMD500ACDC24 OMRON Universal input 2 ps aux HB 48x96

Brand: OMRON | Manufacturer Part Number: E5EN-HAA2HBMD-500 24VAC/DC



Manufacturer	OMRON
MPN / Reference	E5EN-HAA2HBMD-500 24VAC/DC
Catalog number	E5ENHAA2HBMD500ACDC24
Category	Temperature monitoring relay
Minimum order	1 Pcs
Document ID	EO-1463C04E5A
Generated	2026-07-31

Product Overview

Universal input 2 ps aux HB 48x96

Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, 2 x OUT option, 2 x Aux OUT, 1 x HT Burnout SSR fail., 2 Event I/Ps, option unit, 24V AC/DC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Temperature and Processes > E5EN-H

Additional Product Information

Specifications

Size 1/8 DIN (96 x 48 mm)

Functions HB/HS alarm for 1-phase heaters, ON/OFF control, PID control

Number of control loops 1

Temperature input type B, C (WRe5-26), E, J, JPt100, K, L, N, P (PLII), Pt100, R, S, T, U

Linear analog input type 0 to 10 V, 0 to 20 mA, 0 to 5 V, 1 to 5 V, 4 to 20 mA

Temperature range -200-2300 °C

Number of event inputs 2

Number of alarm outputs 2

Supply voltage AC 20.4-26.4 V

Supply voltage DC 20.4-26.4 V

Control output Linear current, Linear voltage, Relay, Voltage pulse

Terminal type Screw

ETIM for 246782 Relays (EC001446)

Feature Name

Feature Value

Voltage type (operating voltage) (EF005294)

AC/DC

Type of electric connection (EF003961)

Screw connection

Voltage type (supply voltage) (EF002991)

AC/DC

Error registration possible (EF003423)

No

External reset possible (EF003426)

No

With detachable clamps (EF003340)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

2

Width (EF000008)

96 mm

Number of contacts as normally closed contact (EF008255)

0

Number of measuring circuits (EF003425)

1

Height (EF000040)

96 mm

Depth (EF000049)

60 mm

Supply voltage AC 50 Hz (EF007532)

21.6 V

Supply voltage AC 60 Hz (EF007533)

21.6 V

Supply voltage DC (EF007534)

21.6 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E5EN-HAA2HBMD-500 24VAC/DC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.